

Indice Alfabetico
Indice Numerico
Condizioni Generali
di Vendita

BRAND Catalogo Generale 800



| | | |
|--|--------------------|--|
| A | | |
| Accessori per pipettaggio | | |
| accu-jet® <i>pro</i> | 69 - 71 | |
| macro | 72 | |
| micro | 73 | |
| micro-classic | 73 | |
| micropipette intraEND | 203 | |
| pompette per pipette | 74 | |
| accu-jet® <i>pro</i> | 70, 71 | |
| Accuratezza (informazioni) | 283 | |
| Adattatori per | | |
| crogioli filtranti | 226 | |
| Dispensette® | 18 | |
| puntali PD-Tips | 92 | |
| QuikSip™ | 18, 76 | |
| seripettor® | 18 | |
| Titrette® | 18 | |
| Agitatori | 241 | |
| a spatola | 246 | |
| ad asta | 246 | |
| con aste | 241 | |
| termometri | 182 | |
| Alcolometro | | |
| Gay-Lussac + Cartier | 179 | |
| Richter + Tralles | 179 | |
| Ancorette magnetiche | 242 - 245 | |
| Anse monouso | 194 | |
| Aspiratore (QuikSip™) | 75, 76 | |
| Aste magnetica | 245 | |
| Aste agitatori | 246 | |
| Aste sostegni | 267 | |
| ASTM | | |
| provette, sec. | 172, 173 | |
| termometri, sec. | 187 | |
| B | | |
| Bacinelle fotografiche | 258 | |
| Barattolo per campioni, PFA | 248 | |
| Beute | 215 | |
| Bicchieri | 215 - 218 | |
| graduati | 217 | |
| graduati con manico | 217 | |
| in vetro | 215 | |
| in plastica | 216 - 218 | |
| per campionamento | 218 | |
| BIO-CERT® (informazioni) | 293 | |
| BLAUBRAND® Classe A/AS | | |
| (informazioni) | 128, 129 | |
| Bottiglie | | |
| a bocca larga | 250 - 253, 257 | |
| a bocca stretta | 250, 251, 253, 254 | |
| a spruzzetta | 254 | |
| con contagocce | 255 | |
| con rivestimento in plastica | 249 | |
| con tappo a spruzzetta | 255 | |
| di ricambio | 148, 159, 165, 166 | |
| di vetro | 249, 255 | |
| filettate con rivestimento | 249 | |
| forma quadrata | 250, 252 | |
| per burette | 166 | |
| per laboratorio | 249 | |
| per lavaggio gas | 230, 231 | |
| per ossigeno, modello Winkler | 171 | |
| Bottiglie | | |
| PFA | 253, 254 | |
| plastica | 250 - 257 | |
| PTFE | 252 | |
| spalla conica | 250 | |
| tappi a spruzzetta | 254 | |
| vetro marrone | 249 | |
| Bottiglioni | | |
| a bocca stretta | 256, 257 | |
| con rubinetto | 256 | |
| BRANDplates®/Piastr | | |
| 96-pozetti | 106, 114 - 120 | |
| 348-pozetti | 114 - 120 | |
| 1536-pozetti | 114, 115, 118 | |
| coperchi | 122 | |
| informazioni | 111 - 113 | |
| Brix, densimetri | 179 | |
| Burette digitale Titrette® | 27 - 32 | |
| Burette in vetro | 152-158 | |
| (informazioni) | 151 | |
| Bang | 152, 153 | |
| compatte | 156 - 158 | |
| Dafert | 154 | |
| Burette automatiche | 159-164 | |
| (informazioni) | 151 | |
| bottiglie, per | 166 | |
| canna in vetro | 157, 158, 165 | |
| compatte | 163, 164 | |
| coperchi | 167 | |
| Dr. Schilling | 159 | |
| in vetro marrone | 155, 156 | |
| Pellet | 160-162 | |
| pinza, per | 166, 167 | |
| puntali | 157, 158, 165 | |
| rubinetti, per | 157, 158, 165, 168 | |
| supporto, per | 167 | |
| Bürker, celle contaglobuli | 206 | |
| C | | |
| Calibrazione, servizio | | |
| (informazioni) | 290, 291 | |
| software per calibrazione | | |
| EASYCAL™ 4.0 | 77 - 80 | |
| Capillari | | |
| per microematocrito | 202, 203 | |
| per pipette monouso | 202 | |
| Capsula | | |
| per evaporazione | 219, 220 | |
| Petri | 194 | |
| Cell-culture™ (aspiratore) | 76 | |
| Celle contaglobuli | 204 - 207 | |
| Cera sigilla capillari | 203 | |
| Certificati (informazioni) | | |
| per strumenti volumetrici | 128, 129 | |
| del lotto BLAUBRAND® | 284 | |
| individuale BLAUBRAND® | 284 | |
| Cilindri | | |
| con tappo graduati | 148 | |
| graduati, in plastica | 149, 150 | |
| graduati, in vetro | 145 - 147 | |
| per densimetri | 180 | |
| per pipette | 259 | |
| Ciotoline, monouso | 190, 191 | |
| Coagulometro, | | |
| provette per campioni | 197 | |
| Coefficiente variazione (informazioni) | 283 | |
| Collare per coni | 239 | |
| Collo conico | | |
| bottiglie | 148, 166, 250 | |
| guaine | 238 | |
| Imbuti | 224 | |
| raccordi | 238 | |
| tappi | 240 | |
| termometri | 188 | |
| Compatibilità chimica | | |
| plastiche | 301 - 305 | |
| Compatibilità con i termoreattori | 294 | |
| Conformità Certificata (informazioni) | 282 | |
| Coni per sedimentazione | | |
| Imhoff | 173, 174 | |
| supporti | 175 | |
| Coni smerigliati | | |
| raccordi | 238 | |
| tappi | 240 | |
| Contentori | | |
| dispensatore da banco | 193 | |
| per feci | 192 | |
| per pesata micro | 80 | |
| per reattivi | 55 | |
| per urine | 192 | |
| secchi | 257 | |
| Coperchio flessibile | | |
| per piastre Deep-well | 107 | |
| per PCR | 104 | |
| Coplin, vaschetta | 210 | |
| Coulter Counter®, | | |
| ciotoline per analizzatori | 190 | |
| Cristallizzatori | 220 | |
| Crogioli filtranti | 226 | |
| Cuvette | | |
| macro e semi-micro | 124, 125 | |
| monouso | 123 - 126 | |
| UV | 124 | |
| D | | |
| Delbrück, capillari monouso | 202 | |
| Densimetri | 176 - 180 | |
| alcolometro | 179 | |
| modello Baumé | 178 | |
| modello Brix | 179 | |
| per usi generali | 177, 178 | |
| per usi speciali | 180 | |
| per zuccheri | 179 | |
| scala ampia | 177 | |
| Detergenti | | |
| disinfettanti | 263 | |
| universali | 262 | |
| Detergenti per superfici | 264 | |
| Disinfezione strumenti (informazioni) | 263 | |
| Dispensatore | | |
| per PARAFILM® M | 199, 214 | |
| Dispenser-Tips (PD-Tips) | 91, 92 | |
| Dispensette® | 11 - 20 | |
| compatibilità chimica | 15 | |
| dosaggio a distanza | 20 | |

| | | | | |
|---|----------|---------------------------------------|----------|---|
| Distillatori per acqua (MonoDest 3000) 265 | L | Lavapipette 259 | O | OEM, Impianti di dosaggio (informazioni) 273 - 280 |
| DKD (informazioni) 290, 291 | | Life Science (informazioni) 81, 82 | | |
| Dosaggio ripetitivo | | Limiti di errore (informazioni) 283 | | |
| HandyStep® 61 - 64 | | | P | Palette 241 |
| HandyStep® electronic 65 - 68 | | | | Palloni, a fondo piano 214 |
| Dosatore automatico 148 | M | Macro aspiratore 72 | | PARAFILM® M |
| Drechsel, bottiglie lavaggio gas 230 | | Malassez, celle contaglobuli 207 | | film sigillante 199, 214 |
| E | | Marchio CE (informazioni) 292 | | taglierina per 199, 214 |
| EASYCAL™ 4.0 | | Materiale vetro 295 - 297 | | Pasteur, pipette 200, 201 |
| Software di calibrazione 77 - 80 | | Materie plastiche 298 - 305 | | PCR |
| Edisonite® 262 | | Matracci | | microprovette 99 - 101, 103 |
| Edisonite®-Super 262 | | Erlenmeyer 215, 218 | | mini cooler 101 |
| Essiccatori e accessori 228, 229 | | fondo piano 214 | | pellicola autoadesiva 108 |
| F | | Matracci per filtrazione 227 | | piastre 102, 103 |
| Film | | Matracci tarati | | scatola e supporto 101 |
| sigillante PARAFILM® M 199, 214 | | con 3 segni di graduazione 142 | | Pellet, burette automatiche 160 - 162 |
| sigillante per piastre 108 | | con rivestimento in plastica PUR 141 | | Pellicola sigillante (PCR) 108 |
| Filtri a membrana | | in plastica 144 | | PFA |
| adattatori per crogioli 226 | | in vetro 139 - 143 | | barattolo per campioni 248 |
| per aspiratore per pipette 71, 72 | | secondo Kohlrausch 143 | | bottiglie 253 |
| per imbuti 226 | | trapezoidali 140 | | bottiglie a spruzzetta 254 |
| Fuchs-Rosenthal, celle contaglobuli 207 | | micro aspiratore 73 | | bottiglie lavaggio gas 231 |
| G | | micro-classic, aspiratore 73 | | capsula per evaporazione 219 |
| Gay-Lussac + Cartier, alcolometri 179 | | Microburette, modello Bang 152, 153 | | matracci tarati 144 |
| Gay-Lussac picnometri 170 | | Micropipette | | provette per campioni 221 |
| Gomma | | IntraMARK 202 | | vasi 217 |
| adattatori per matracci 227 | | IntraEND 202 | | Piastra con celle 211 |
| anelli per crogioli filtranti 226 | | monocanale 38, 44, 52 | | Piastre microtiter/BRANDplates® |
| per burette 166 | | multicanale 40, 47, 54, 55 | | 96-pozetti 106, 114 - 120 |
| pompette in gomma | | Transferpette® S 35 - 40 | | 384-pozetti 114 - 120 |
| tappi in gomma 239 | | Transferpette® electronic 48 - 56 | | 1536-pozetti 114, 115, 118 |
| Grasso silicone 238 | | Microprovette monouso 93 - 97 | | Piastre pozzo profondo 106 |
| Guaine per coni SN 238 | | inserti per tappi 97 | | coperchi flessibili 107 |
| H | | supporti per 98, 110, 198 | | pellicole sigillanti 108 |
| HandyStep® 61 - 64 | | tappo a vite 97 | | Picnometri BLAUBRAND® 170, 171 |
| HandyStep® electronic 65 - 68 | | Mini cooler | | Pinze |
| Hellendahl, vaschetta 209, 210 | | per PCR 101 | | a catena 270 |
| I | | per provette 98, 110 | | a molla 233 |
| Imbuti 222 - 225 | | Monitoraggio Strumenti Misura | | a morsetto 269 - 271 |
| Büchner 224 | | (informazioni) 285 - 287 | | a tre prese 269, 270 |
| filtranti 226 | | MonoDest 3000 265 | | con tre prese, Castaloy® 269, 270 |
| per coni smerigliati 224 | | Morsetti 268 - 270 | | di fissaggio 269, 270 |
| per damigiane 223 | | a doppia razione 269 | | morsetto stringitubo 272 |
| per polveri 223 | | a piattina, Castaloy® 268 | | per bagni 270, 271 |
| separatori 225 | | girevole, Castaloy® 269 | | per bottiglia per ossigeno 171 |
| separatori, supporti 225 | | regolare 90° | | per burette 167 |
| Imhoff | | stringitubo per tubi 272 | | per termometri 271 |
| coni per sedimentazione 175 | | Mortaio con pestello, in plastica 220 | | Pinzette 247 |
| supporti per coni 173, 174 | | Mucasol® 262 | | Pipette |
| Indicatore di flusso 233 | | Mucocit®-P 263 | | campionamento gas 231 |
| Informazioni tecniche 281 - 308 | | Mucocit®-T 263 | | capillari, monouso 202, 203 |
| Inserti | | N | | cestelli, per 259 |
| per tappi 97 | | Nageotte, cella contaglobuli 207 | | cilindro, per 259 |
| per provette per criogenia 109 | | Nastri per sterilizzazione 192 | | contagocce, monouso 200 |
| intraEND micropipette monouso 202 | | Navicelle per pesata monouso 248 | | contenitore per l'ammollo 259 |
| intraMARK micropipette monouso 202 | | Nebulizzatore 256 | | Delbrück micropipette 202 |
| IVD, direttiva IVD (informazioni) 292 | | Neubauer, cella contaglobuli 205 | | elettroniche monocanale 51, 52 |
| | | | | elettroniche multicanale 53 - 55 |
| | | | | graduate |
| | | | | a scolamento parziale 135 |
| | | | | a scolamento totale 134, 136, 137 |

| | | | |
|---|--------------------|--|--|
| Pipette | | | |
| graduate fino alla punta | 134, 136, 137 | | |
| non graduate fino alla punta | 135 | | |
| coltura tessuti | 138 | | |
| in plastica | 138 | | |
| in vetro | 133 - 138 | | |
| modello a stantuffo | 138 | | |
| monocanale | 35, 41, 48 | | |
| multicanale | 39, 46, 53 | | |
| Pasteur | 200, 201 | | |
| portapipette | 259, 260 | | |
| precotonate | 134 - 138 | | |
| serologiche | 137 | | |
| tarate | | | |
| ad un tratto | 130 - 132 | | |
| a scolamento totale | 130 - 132 | | |
| di vetro | 130 - 132 | | |
| modello a stantuffo | 132 | | |
| in plastica | 132 | | |
| Pipette a dosaggio ripetitivo | | | |
| HandyStep® | 61 - 64 | | |
| HandyStep® electronic | 65 - 68 | | |
| Pipette a pistone | | | |
| Transferpette® S | 37, 38 | | |
| Transferpette® S -8/-12 | 39, 40 | | |
| Transferpette® | 43, 44 | | |
| Transferpette®-8/-12 | 46, 47 | | |
| Transferpette® electronic | 51, 52 | | |
| Transferpette®-8/-12 | | | |
| electronic | 53 - 55 | | |
| Transferpettor | 57 - 60 | | |
| Pipette a spostamento d'aria | | | |
| Transferpette® S | 35 - 40 | | |
| Transferpette® | 41 - 47 | | |
| Transferpette® electronic | 48 - 55 | | |
| Pipette a spostamento positivo | | | |
| Transferpettor | 57 - 60 | | |
| Pissette | 254 | | |
| Plastica | | | |
| bicchieri | 216 - 218 | | |
| bicchieri graduati | 216, 217 | | |
| bottiglie | 250 - 257 | | |
| cilindri graduati | 149, 150 | | |
| clips per congiunzioni | 238 | | |
| coni per sedimentazione Imhoff | 174 | | |
| contenitori | 248 | | |
| cuvette | 124, 125 | | |
| imbuti | 222 - 224 | | |
| materie Plastiche | | | |
| (informazioni) | 298 - 305 | | |
| matracchi tarati | 144 | | |
| pinzette, in | 247 | | |
| pipette graduate, in | 138 | | |
| pipette tarate, in | 132 | | |
| portaprovette | 198 | | |
| puntali | 83 - 90 | | |
| raccordi per tubi | 234 - 236 | | |
| rubinetti | 237 | | |
| tappi | 239, 240 | | |
| tubi | 232 | | |
| Pompa per vuoto a getto d'acqua | 232 | | |
| Pompetta a tre vie | 73 | | |
| Portaimbuti | 225 | | |
| Portapipette | 260 | | |
| Portaprovette | 198 | | |
| Prodotti monouso | | | |
| agitatori a spatola | 125 | | |
| anse per inoculazione | 194 | | |
| capillari per micro-ematocrito | 203 | | |
| capsule petri | 194 | | |
| ciotoline per analizzatori | 190, 191 | | |
| contenitore per feci | 192 | | |
| contenitore urina | 192 | | |
| cuvette | 124, 125 | | |
| guaine per coni smerigliati | 238 | | |
| micropipette Delbrück | 202 | | |
| micropipette, intraMARK | 202 | | |
| micropipette, intraEND | 202 | | |
| microprovette | 93 - 97 | | |
| microprovette PCR | 99 - 101, 103 | | |
| piastre PCR | 102 | | |
| piastre microtitolazione | 111 - 120 | | |
| pipette contagocce | 200 | | |
| pipette Pasteur | 200 | | |
| provette | 109, 195 - 197 | | |
| puntali (bulk, rack) | 87 - 89 | | |
| puntali con filtro | 83, 85 - 89 | | |
| puntali PD-Tips | 91, 92 | | |
| sacchetti per rifiuti | 193 | | |
| tappi | 196, 197 | | |
| Propipette | 73 | | |
| Provette | | | |
| coagulometro | 197 | | |
| confezionati in rack, bulk | 107 | | |
| graduate | 221 | | |
| per campioni | 197, 221 | | |
| per centrifuga | 195, 196, 221 | | |
| per coltura | 195 | | |
| per criogenia | 109 | | |
| per sedimentazione | 197 | | |
| portaprovette per | 198 | | |
| secondo ASTM | 172, 173 | | |
| PTFE, articoli in | | | |
| agitatori ad asta | 246 | | |
| agitatori con aste | 241 | | |
| ancorette magnetiche | 242 - 245 | | |
| asta magnetica | 245 | | |
| bicchieri | 218 | | |
| bottiglie | 252 | | |
| bottiglie con contagocce | 255 | | |
| coni con collare zigrinato | 239 | | |
| cristallizzatori | 220 | | |
| guaine per coni smerigliati | 238 | | |
| mestolo per campionamento | 218 | | |
| pinzette | 247 | | |
| raccordi/morsetti | 238 | | |
| rubinetti | 157, 158, 237 | | |
| tappi | 240 | | |
| vetri d'orologio | 219 | | |
| Pulizia, disinfezione e sterilizzazione | | | |
| (informazioni) | 306, 307 | | |
| Puntali | | | |
| BIO-CERT® | 86, 89 | | |
| con filtro | 83, 85, 87 - 90 | | |
| con filtro BIO-CERT® | 89 | | |
| confezionati in rack | 86, 88, 89 | | |
| Puntali | | | |
| in bulk e in rack | 86 - 89 | | |
| monouso | 83 - 90 | | |
| PD-Tips | 91, 92 | | |
| Puntali PD-Tips | | | |
| adattatori | 92 | | |
| BIO-CERT® | 92 | | |
| Pursept®-A | | | |
| disinfettante spray | 264 | | |
| fazzolettini disinfettanti | 264 | | |
| Pursept®-AF | | | |
| disinfettante concentrato | 264 | | |
| Q | | | |
| Quality Management (informazioni) | 282 | | |
| QuikSip™ BT-Aspirator | 75, 76 | | |
| R | | | |
| Raccordi | | | |
| a spinotto per tubi | 236 | | |
| di giunzione per tubi | 234 - 236 | | |
| multipresa per aste | 267 | | |
| Rubinetti | | | |
| a tre vie | 237 | | |
| a una via | 237 | | |
| con valvola a spillo | 228 | | |
| foro diritto | 237 | | |
| per bottiglioni | 256 | | |
| per burette | 157, 158, 165, 168 | | |
| Rulli per pellicole | 108 | | |
| S | | | |
| Saccarimetri | 179 | | |
| Sacchetti | | | |
| per rifiuti | 193 | | |
| per rifiuti e supporto | 193 | | |
| SafetyPrime™ valvole di riciclo | 18 | | |
| Scatola portavetrini | 212 | | |
| Schiefferdecker, vaschette | 210 | | |
| Schilling Dr., burette automatiche | 159 | | |
| Scolavetreria | 260 | | |
| Secchi | 257 | | |
| Secchio per ghiaccio | 258 | | |
| seripettor® | 21 - 26 | | |
| seripettor® pro | 21 - 26 | | |
| Sessole in plastica | 247 | | |
| Sicurezza informazioni | 308 | | |
| Sigillante, film sigillante | | | |
| per piastre | 108 | | |
| PARAFILM® M | 199, 214 | | |
| SILBERBRAND classe B | | | |
| (informazioni) | 128 | | |
| Silicone | | | |
| grasso | 238 | | |
| tappi | 239 | | |
| Smerigliati | | | |
| bottiglie | 166, 238 | | |
| coni in PTFE | 239 | | |
| grasso silicone | 238 | | |
| guaine a pareti sottili | 238 | | |
| raccordi | 238 | | |
| rubinetti per Burette | 168 | | |


| | |
|---|-----------|
| Sostegni | |
| anelli | 271 , 272 |
| aste | 267 |
| base, per | 266, 267 |
| Castaloy® | 266 - 272 |
| con base piatta | 167, 266 |
| con base a tripode | 266 |
| per burette | 167 |
| per micropipetta capillari | 203 |
| per morsetti | 268, 269 |
| pinze | 269, 270 |
| portamicroprovette | 198 |
| portapipette | 260 |
| portaprovette | 198 |
| raccordi | 267, 268 |
| Spatole | 246 |
| Spruzzette | 254 |
| Starter-Kit Transferpette® S | 38 |
| Stoppino di cotone per pipette | 136 |
| Strumenti volumetrici (informazioni) | 127 - 129 |
| Supporti per | |
| accu-jet® pro | 71 |
| burette | 167 |
| coni sedimentazione (Imhoff) | 175 |
| cuvette | 125 |
| HandyStep® | 64 |
| imbuti | 225 |
| imbuti separatori | 225 |
| microprovette | 110, 198 |
| microprovette PCR | 101 |
| provette per criogenia | 110 |
| sacchetti per rifiuti | 193 |
| Transferpette® S | 40, 47 |
| Transferpette® | 45, 47 |
| Transferpette® electronic | 52 |
| Transferpette® <u>r</u> | 60 |
| T | |
| Taglierina per PARAFILM® M | 199, 214 |
| Taniche | 257 |
| Tappi | |
| a spruzzetta | 254 |
| aletti per provette | 197 |
| conico smerigliato | 240 |
| in gomma | 239 |
| in silicone | 239 |
| per provette graduate | 196, 197 |
| Tecnologia Easy Calibration | 288, 289 |
| Termometri | 181 - 188 |
| agitatori | 182 |
| ASTM | 187 |
| di Anschütz | 185 |
| di precisione | 184 - 188 |
| in vetro massiccio | 182 - 187 |
| massima | 184 |
| minima-massima | 188 |
| per basse temperature | 185 |
| per distillazione cono SN | 188 |
| per punto di congelamento | 186 |
| per punto di cristallizzazione | 186 |
| per punto di gocciolamento | 186 |
| per punto di solidificazione | 186 |

| | |
|-------------------------------------|---------------|
| Termometri | |
| per alte temperature | 185 |
| scala in vetro latteo | 182, 184, 188 |
| senza mercurio | 183 |
| tascabili | 183 |
| Tettina contagocce | 201 |
| Thoma, celle contaglobuli | 206 |
| Tip-Box / Tip-Box N | 86, 88, 89 |
| Tip-Rack | 86, 88, 89 |
| Tip-Rack S (puntali, sterili) | 86, 89 |
| Tip-Set | 86, 88, 89 |
| Tip-Set S (puntali, sterili) | 86, 89 |
| Tip-Stack™ | 86, 89 |
| Titrette® | 27 - 32 |
| Transferpette® S | 33 - 38 |
| Transferpette® S -8/-12 | 39, 40 |
| Transferpette® | 41 - 45 |
| Transferpette®-8/-12 | 46, 47 |
| Transferpette® electronic | 49 - 52 |
| Transferpette®-8/-12 electronic | 53 - 55 |
| Transferpette® <u>r</u> | 57 - 60 |
| Tubi | 233 |
| Tubi di essiccamento | 19 |
| Türk, celle contaglobuli | 206 |
| V | |
| Valori di RCF (informazioni) | 93 |
| Valvole | 236 |
| Vaschette | 209 - 211 |
| Vetreteria smerigliata normalizzata | |
| coni smerigliati | 238, 240 |
| Vetri d'orologio | 219 |
| Vetrini | |
| coprioggetto | 208 |
| per celle contaglobuli | 208 |
| portaoggetto | 208, 209 |
| scatole portavetrini | 212 |
| Vetro laboratorio (informazioni) | 295 - 297 |
| Vetro marrone | |
| bottiglie, in | 166, 249 |
| burette, in | 155, 156 |
| matraci tarati, in | 142 |
| Vuoto | |
| essiccatori | 228, 229 |
| pompa a getto d'acqua | 232 |
| W | |
| Winkler, bottiglie per ossigeno | 171 |

| Codice | Pagina | Codice | Pagina | Codice | Pagina |
|-----------------|----------|-----------------|----------|-------------------|----------|
| 62 08 | 26 | 297 01 - 297 38 | 131 | 623 10 - 623 15 | 191 |
| 66 36 | 32 | 300 02 - 300 18 | 132 | 650 31 - 657 43 | 228 |
| 66 37 - 66 96 | 19 | 305 02 - 305 18 | 131 | 658 04 - 660 30 | 229 |
| 66 97 - 66 98 | 19, 26 | 309 00 | 260 | 717 71 - 723 78 | 257 |
| 66 99 | 19 | 311 06 - 311 15 | 138 | 737 14 - 740 24 | 227 |
| 67 07 | 26 | 314 02 - 314 15 | 132 | 745 06 - 745 11 | 225 |
| 67 83 | 32 | 317 08 - 319 08 | 146 | 760 05 - 760 55 | 233 |
| 67 88 | 76 | 319 09 | 147 | 781 00 | 231 |
| 67 90 | 26 | 319 20 | 146 | 781 38 - 781 62 | 230 |
| 100 02 - 100 04 | 158 | 319 21 | 147 | 782 00 | 231 |
| 115 00 - 115 05 | 159 | 319 28 | 146 | 782 38 - 782 62 | 230 |
| 115 10 - 115 15 | 157, 165 | 319 29 | 147 | 783 00 - 783 62 | 231 |
| 115 25 | 165 | 319 38 | 146 | 810 53 - 812 48 | 168 |
| 116 00 - 118 00 | 158 | 319 39 | 147 | 812 56 - 812 65 | 162 |
| 118 05 | 157, 165 | 319 48 | 146 | 818 05 - 822 22 | 168 |
| 120 03 - 120 18 | 154 | 319 49 | 147 | 824 15 | 228 |
| 120 52 - 120 58 | 155 | 319 54 | 146 | 885 05 - 886 80 | 237 |
| 120 83 - 120 88 | 154 | 319 55 | 147 | 893 20 - 896 70 | 216 |
| 120 93 - 120 98 | 153 | 319 62 | 146 | 901 20 - 902 62 | 217 |
| 124 64 - 124 88 | 152 | 319 63 | 147 | 903 05 - 904 70 | 218 |
| 135 06 - 135 08 | 153 | 319 64 - 321 64 | 146 | 906 17 - 912 73 | 215 |
| 135 32 - 135 38 | 155 | 324 08 - 324 62 | 148 | 917 17 - 917 68 | 214 |
| 135 63 - 135 68 | 153 | 327 05 - 327 64 | 146 | 927 14 - 928 63 | 215 |
| 138 44 - 138 88 | 152 | 339 08 - 339 62 | 148 | 931 70 - 931 85 | 218 |
| 139 03 - 139 28 | 156 | 347 08 - 350 64 | 150 | 949 05 - 949 15 | 224 |
| 139 33 - 139 58 | 157 | 351 08 - 351 64 | 149 | 951 05 - 951 11 | 260 |
| 164 00 - 165 10 | 167 | 360 08 - 362 54 | 144 | 1107 05 - 1107 10 | 220 |
| 165 15 - 165 20 | 166 | 364 01 - 364 19 | 140 | 1128 05 - 1131 35 | 247 |
| 211 08 - 211 18 | 154 | 365 48 - 365 53 | 141 | 1139 31 - 1141 30 | 195 |
| 219 11 - 219 18 | 161 | 367 43 - 367 55 | 143 | 1143 08 - 1145 24 | 221 |
| 223 02 - 223 18 | 162 | 368 38 - 368 54 | 141 | 1147 15 - 1147 60 | 197 |
| 223 22 - 223 38 | 161 | 369 38 - 369 54 | 140 | 1148 17 - 1148 23 | 195 |
| 225 21 - 227 68 | 160 | 370 45 - 370 53 | 142 | 1148 30 - 1148 54 | 109 |
| 233 10 - 234 00 | 166 | 372 34 - 372 48 | 140 | 1148 60 - 1148 66 | 110 |
| 237 13 - 237 24 | 159 | 372 49 | 129, 140 | 1149 30 - 1149 40 | 98, 110 |
| 237 25 - 237 28 | 159, 165 | 372 50 - 372 94 | 140 | 1150 15 - 1150 20 | 190 |
| 237 45 - 237 68 | 159 | 374 01 - 382 10 | 142 | 1153 42 - 1153 76 | 196 |
| 238 09 - 238 30 | 164 | 404 28 - 406 70 | 217 | 1155 10 - 1155 20 | 198 |
| 238 33 - 238 68 | 165 | 415 20 - 416 62 | 150 | 1225 20 - 1226 64 | 249 |
| 238 75 - 238 76 | 166 | 420 08 - 420 64 | 147 | 1245 29 - 1246 39 | 255 |
| 238 82 | 167 | 430 05 - 430 88 | 148 | 1247 00 - | 255, 201 |
| 239 09 - 239 30 | 163 | 432 05 - 433 38 | 170 | 1252 16 - 1253 28 | 255 |
| 242 55 - 242 69 | 153 | 434 08 - 434 38 | 171 | 1254 00 - 1254 20 | 200 |
| 245 45 - 245 99 | 152 | 440 03 - 443 65 | 262 | 1269 38 - 1269 62 | 230 |
| 253 00 - 254 00 | 74 | 448 22 - 448 25 | 263 | 1269 63 | 148 |
| 258 00 - 259 31 | 73 | 448 30 - 448 55 | 264 | 1269 65 - 1270 65 | 166 |
| 259 33 - 259 62 | 76 | 449 20 | 263 | 1285 20 - 1285 64 | 250 |
| 260 37 - 261 54 | 72 | 455 05 - 455 10 | 219 | 1286 28 - 1286 64 | 251 |
| 263 00 - 265 30 | 71 | 455 40 - 457 22 | 220 | 1287 48 - 1289 62 | 253 |
| 265 35 | 76 | 458 00 - 458 02 | 219 | 1290 08 - 1290 54 | 251 |
| 266 30 | 71 | 500 00 | 180 | 1290 55 - 1290 60 | 159, 165 |
| 270 69 - 271 15 | 137 | 514 16 - 514 30 | 238 | 1290 62 - 1292 06 | 251 |
| 271 60 - 276 14 | 138 | 514 63 - 514 70 | 239 | 1292 08 - 1292 14 | 252 |
| 277 02 - 277 04 | 137 | 555 60 - 555 95 | 238 | 1292 20 - 1292 24 | 254 |
| 277 05 - 277 16 | 136 | 556 18 | 148, 166 | 1292 30 - 1292 36 | 255 |
| 277 21 - 277 58 | 135 | 556 38 - 556 49 | 238 | 1292 50 - 1292 52 | 144 |
| 278 16 - 278 48 | 134 | 562 15 - 563 65 | 265 | 1292 54 - 1292 56 | 248 |
| 282 05 | 136 | 616 05 - 616 10 | 238 | 1292 60 - 1292 74 | 253 |
| 283 00 - 283 05 | 260 | 617 50 | 192 | 1292 73 - 1292 75 | 254 |
| 284 05 - 284 15 | 136 | 618 15 - 618 20 | 191 | 1293 28 - 1293 64 | 252 |
| 288 00 - 292 15 | 259 | 619 50 - 620 20 | 248 | 1294 08 - 1296 64 | 251 |
| 295 01 - 295 19 | 132 | 623 05 | 192 | 1298 38 - 1298 62 | 250 |

| Codice | Pagina | Codice | Pagina | Codice | Pagina |
|-------------------|----------|-------------------|----------|-------------------|------------|
| 1298 63 | 148 | 3876 62 | 173 | 7041 01 - 7041 82 | 44 |
| 1298 64 - 1299 64 | 250 | 3880 00 | 174 | 7041 90 | 45 |
| 1302 28 - 1302 54 | 251 | 3880 50 - 3880 60 | 175 | 7042 01 - 7042 03 | 19, 26 |
| 1302 60 | 159, 165 | 4020 38 - 4020 46 | 143 | 7042 04 - 7042 05 | 19, 26, 32 |
| 1302 62 - 1302 64 | 251 | 4520 00 - 4557 51 | 194 | 7042 08 | 19, 26 |
| 1303 20 - 1304 28 | 252 | 4580 21 - 4622 31 | 226 | 7042 09 - 7042 82 | 20 |
| 1304 80 - 1304 88 | 253 | 4625 00 - 4632 43 | 227 | 7043 25 - 7043 28 | 18, 76 |
| 1305 05 - 1305 64 | 252 | 4636 16 - 4661 34 | 226 | 7043 30 | 18 |
| 1308 70 - 1308 74 | 256 | 4700 45 - 4708 20 | 208 | 7043 43 - 7043 45 | 18, 76 |
| 1309 70 - 1309 74 | 257 | 4714 00 - 4718 00 | 211 | 7043 75 - 7043 95 | 18 |
| 1309 84 - 1311 90 | 256 | 4720 00 - 4722 00 | 209 | 7043 96 - 7043 97 | 18, 76 |
| 1316 60 - 1316 64 | 257 | 4725 00 | 210 | 7043 98 - 7044 31 | 18 |
| 1319 00 - 1319 02 | 193 | 4726 00 - 4727 00 | 209 | 7044 86 - 7044 95 | 19 |
| 1340 02 | 236 | 4728 00 | 210 | 7045 00 - 7045 02 | 25 |
| 1340 80 | 233 | 4731 00 | 209 | 7045 04 | 25, 76 |
| 1341 26 - 1356 00 | 241 | 4735 00 - 4743 05 | 211 | 7045 06 - 7045 08 | 25 |
| 1358 05 - 1363 35 | 246 | 4744 00 - 4744 10 | 210 | 7045 18 - 7045 20 | 26 |
| 1371 00 - 1371 60 | 242 | 4747 01 - 4747 44 | 208 | 7045 22 - 7045 23 | 25 |
| 1371 68 - 1371 99 | 243 | 4755 05 - 4755 65 | 209 | 7045 26 | 76 |
| 1373 00 - 1373 25 | 244 | 4758 00 - 4769 00 | 212 | 7045 32 - 7045 51 | 26 |
| 1374 04 - 1374 45 | 242 | 5445 70 | 270 | 7045 54 - 7045 80 | 76 |
| 1376 07 - 1376 25 | 243 | 5445 75 - 5665 12 | 271 | 7046 52 | 40, 45 |
| 1376 30 - 1376 38 | 244 | 5665 15 | 272 | 7046 53 | 40 |
| 1377 00 - 1377 55 | 245 | 5666 18 | 268 | 7047 08 - 7047 93 | 38 |
| 1378 05 - 1378 48 | 243 | 5666 20 - 5666 25 | 267 | 7048 10 - 7048 05 | 40 |
| 1379 05 - 1379 19 | 245 | 5666 26 | 268 | 7050 00 - 7050 53 | 68 |
| 1379 26 - 1379 35 | 244 | 5666 27 - 5666 80 | 267 | 7051 00 - 7051 20 | 64 |
| 1379 50 | 245 | 5667 05 - 5668 50 | 266 | 7052 99 - 7053 85 | 52 |
| 1390 35 - 1391 35 | 247 | 5735 38 - 5744 89 | 269 | 7053 86 | 45, 52 |
| 1398 10 - 1398 20 | 246 | 5745 76 | 270 | 7053 90 - 7053 93 | 52 |
| 1400 04 - 1403 00 | 225 | 5753 63 | 272 | 7053 99 - 7054 36 | 54 |
| 1433 52 - 1433 64 | 233 | 5754 19 - 5757 21 | 268 | 7054 49 - 7054 86 | 55 |
| 1438 48 - 1441 62 | 254 | 5762 19 - 5764 19 | 269 | 7060 80 - 7060 90 | 18 |
| 1441 80 - 1441 90 | 256 | 5770 38 - 5778 57 | 270 | 7075 26 - 7075 36 | 32 |
| 1443 05 - 1443 99 | 239 | 5779 00 | 167 | 7079 15 - 7079 16 | 18, 26 |
| 1444 05 - 1446 45 | 240 | 5809 10 - 5809 15 | 271 | 7079 17 | 18 |
| 1455 05 - 1456 38 | 222 | 5846 19 - 5847 19 | 272 | 7079 18 | 18, 26 |
| 1465 06 - 1465 23 | 223 | 7013 30 - 7013 55 | 106 | 7079 19 | 18 |
| 1470 00 - 1470 35 | 222 | 7013 57 - 7013 62 | 107 | 7079 25 - 7079 26 | 19 |
| 1470 40 - 1482 45 | 223 | 7013 64 - 7013 80 | 108 | 7079 28 | 18 |
| 1485 00 - 1485 02 | 225 | 7015 01 - 7016 50 | 214, 199 | 7079 30 | 19 |
| 1485 05 - 1486 40 | 224 | 7018 07 - 7018 78 | 59 | 7079 35 - 7079 38 | 18 |
| 1500 10 - 1509 22 | 219 | 7019 00 - 7019 68 | 60 | 7084 40 - 7084 45 | 79 |
| 1522 50 - 1522 75 | 234 | 7021 00 - 7021 11 | 87 | 7084 62 - 7084 72 | 80 |
| 1523 00 | 236 | 7021 19 - 7022 00 | 89 | 7086 05 | 80, 203 |
| 1524 00 - 1525 10 | 234 | 7022 02 - 7023 65 | 88 | 7086 60 - 7091 09 | 202 |
| 1526 05 - 1526 15 | 235 | 7023 68 - 7024 04 | 92 | 7091 10 | 203 |
| 1527 05 - 1527 70 | 234 | 7024 05 - 7024 18 | 88 | 7091 18 - 7091 44 | 202 |
| 1528 00 - 1529 20 | 235 | 7024 19 - 7024 50 | 89 | 7178 05 - 7178 20 | 205 |
| 1530 05 - 1531 35 | 236 | 7025 04 - 7026 04 | 87 | 7180 05 - 7180 20 | 206 |
| 1532 05 - 1532 35 | 235 | 7026 05 - 7026 08 | 88 | 7186 05 - 7186 20 | 205 |
| 1555 40 - 1555 50 | 248 | 7026 83 - 7026 96 | 92 | 7189 05 - 7189 20 | 206 |
| 1561 00 - 1566 50 | 258 | 7028 04 - 7028 12 | 59 | 7190 05 | 207 |
| 1583 15 - 1596 70 | 232 | 7028 52 - 7028 90 | 60 | 7195 05 - 7195 20 | 206 |
| 2350 10 - 2350 30 | 231 | 7032 03 - 7032 10 | 45 | 7198 05 - 7213 05 | 207 |
| 3620 38 | 172 | 7034 09 - 7034 11 | 55 | 7220 55 - 7220 60 | 190 |
| 3621 38 | 173 | 7034 40 | 47 | 7230 14 - 7230 16 | 208 |
| 3623 38 | 172 | 7034 59 | 55 | 7477 15 - 7477 20 | 201 |
| 3655 38 | 143 | 7036 00 - 7036 32 | 47 | 7477 50 - 7477 75 | 200 |
| 3860 38 - 3861 48 | 171 | 7037 00 - 7037 32 | 40 | 7493 11 - 7495 10 | 203 |
| 3873 62 | 173 | 7040 02 - 7040 20 | 249 | 7589 01 - 7589 10 | 192 |
| 3874 62 | 174 | 7040 70 - 7040 75 | 45 | 7590 05 - 7591 15 | 125 |

| Codice | Pagina | Codice | Pagina |
|-------------------|----------|---------------------|--------------|
| 7591 50 - 7592 43 | 124 | 43400 00 - 43400 63 | 198 |
| 7595 00 | 125 | 43410 00 - 43410 03 | 98, 110, 198 |
| 7597 00 - 7597 10 | 193 | 43410 50 - 43410 53 | 98, 198 |
| 7598 00 | 125 | 47000 40 - 47000 41 | 17 |
| 7685 05 - 7685 10 | 258 | 47001 00 - 47003 61 | 16 |
| 7685 15 | 260 | 47201 20 - 47204 50 | 25 |
| 7780 12 - 7794 20 | 221 | 47231 50 | 76 |
| 7804 00 - 7805 50 | 94 | 47301 30 - 47303 61 | 17 |
| 7806 05 - 7806 08 | 98 | 47601 51 - 47604 51 | 31 |
| 7807 00 - 7807 14 | 96 | | |
| 7807 20 - 7807 24 | 97 | | |
| 7807 30 - 7807 34 | 96 | | |
| 7807 40 - 7807 44 | 97 | | |
| 7807 50 - 7807 54 | 96 | | |
| 7807 55 - 7807 75 | 97 | | |
| 7810 29 - 7810 40 | 195 | | |
| 7812 05 - 7812 48 | 196 | | |
| 7812 60 - 7812 80 | 101 | | |
| 7812 81 | 10 | | |
| 7812 82 - 7812 94 | 101 | | |
| 7813 00 - 7813 14 | 100 | | |
| 7813 20 - 7813 24 | 101 | | |
| 7813 25 | 103 | | |
| 7813 30 - 7813 44 | 101 | | |
| 7813 45 - 7813 53 | 102 | | |
| 7813 54 - 7813 58 | 103 | | |
| 7813 60 - 7813 62 | 101 | | |
| 7813 80 - 7813 91 | 108 | | |
| 7814 00 | 102 | | |
| 7814 02 - 7814 08 | 104 | | |
| 7814 11 | 102 | | |
| 7814 12 | 103 | | |
| 7814 15 | 102 | | |
| 7814 16 | 103 | | |
| 7815 00 - 7815 83 | 107 | | |
| 7816 00 - 7816 11 | 114, 121 | | |
| 7816 14 | 114 | | |
| 7816 20 - 7816 42 | 114, 121 | | |
| 7816 60 - 7817 02 | 115, 121 | | |
| 7817 20 - 7817 89 | 116, 121 | | |
| 7818 00 - 7818 67 | 117, 121 | | |
| 7819 00 - 7819 27 | 120, 121 | | |
| 7819 60 - 7820 02 | 118, 121 | | |
| 7820 22 - 7820 91 | 119, 121 | | |
| 7821 00 - 7821 07 | 120, 121 | | |
| 7821 50 - 7821 53 | 122 | | |
| 8000 01 - 8001 04 | 182 | | |
| 8002 00 - 8002 08 | 183 | | |
| 8004 01 - 8006 48 | 182 | | |
| 8040 02 - 8045 33 | 184 | | |
| 8050 01 - 8120 10 | 185 | | |
| 8130 49 - 8205 00 | 188 | | |
| 8206 00 | 184 | | |
| 8385 01 - 8385 03 | 183 | | |
| 8668 01 - 8711 01 | 186 | | |
| 8800 01 - 8800 90 | 187 | | |
| 9660 30 - 9685 23 | 177 | | |
| 9695 10 - 9696 16 | 178 | | |
| 9700 10 - 9705 10 | 177 | | |
| 9715 28 - 9715 42 | 178 | | |
| 9803 10 - 9847 15 | 179 | | |
| 9874 00 - 9929 10 | 180 | | |



General Terms and Conditions of BRAND GMBH + CO KG

1 General

- 1.1 (Conflicting business conditions, written form, additional agreements and contract language) These General Terms and Conditions shall apply to all contracts, including all future contracts with the Customer. Other conditions shall not become a part of the contract even if we do not expressly object to such conditions. The Customer may only claim validity of additional agreements before or upon the conclusion of the contract only if they provide immediate written confirmation. Renunciation of the written form is only possible in writing. The language of the contract shall be German or English.
- 1.2 (Offers, right to make changes) Our offers are subject to confirmation. We reserve the right to make technical improvements to our products.
- 1.3 (Recording of data) We may store and process relevant contract data in our EDP systems.
- 1.4 (Setting off and retention) The setting off or the retention by the Customer is not permitted except in cases of undisputed or indefeasible counter claims.
- 1.5 (Rush orders/small orders) Orders with a value of the goods of less than 100 euros are subject to a low quantity surcharge of 20 euros. Delivery is normally in packing units according to the valid price list. For deliveries within five working days or for order values up to 500 euros, we reserve the right to ship and invoice immediately without separate order confirmation.
- 1.6 (Place of jurisdiction) The place of jurisdiction shall be the court responsible for our domicile in Wertheim/Mosbach, Germany. We are also entitled to call upon the court responsible for our customer's domicile. Furthermore, we as Plaintiffs have the right to call the arbitral tribunal at the Chamber of Industry and Commerce in Frankfurt am Main. In this case, the arbitral tribunal conclusively decides the legal dispute in accordance with the ICC Rules of Arbitration excluding the due legal process. The institution of legal dunning proceedings does not imply the exercise of our right to choose the plan of jurisdiction. It is in no way admissible.
- 1.7 German law is applicable, to the exclusion of the 'UN Convention on Contracts for the International Sale of Goods', CISG.

2 Delivery

- 2.1 Place of performance shall be our factory in Wertheim, Germany. The risk shall be transferred to the Customer when the delivery leaves the ramp in our factory. This shall apply also to partial deliveries and where we have undertaken additional services such as freight forwarding; costs of transporting, packing or insurance; exportation; and installation. This also applies in the case of delivery to a consignment warehouse.
- 2.2 Where we have accepted Orders on Call, Standing or Blanket Orders, the Customer must call up the entire order quantity within 6 months.
- 2.3 If there be any delay in the Customer's acceptance of a shipment, we may, at our own discretion, have the products stored at the Customer's expense or, after providing a warning and setting a deadline, sell the products for account of the customer.

3 Delivery period, Delay

- 3.1 Indicated delivery periods are ex works. Delivery deadline shall commence upon the Customer's receipt of our order confirmation; however, only after settlement of the technical questions that are still open at the conclusion of the contract and after we have received from the customer all documents, such as diagrams, permits or releases required from the Customer and definitely not before any advance payments that have been agreed upon. The delivery deadline is considered to have been observed if the readiness for shipment has been declared prior to the expiration of this period. Correct and punctual delivery remains a requirement.
- 3.2 Force Majeure, strikes, lockouts, operating breakdowns, shortages of raw materials or means of production for which we are not responsible, including delayed deliveries or failure to deliver by upstream suppliers, shall extend the delivery deadline accordingly and shall release us from our obligation to deliver if delivery becomes impossible as a result. We are considered not to be responsible for the aforementioned circumstances, even where they occur during an existing delay. The same applies in the case of additional or amended services requested by the customer.
- 3.3 Our default in delivery shall not exist unless the Customer has provided us with a warning and an indicated reasonable additional period of time has lapsed.
- 3.4 In the case of delay damages, we shall limit our liability for damage compensation to 10% of the value of our delayed delivery/service. The limitation does not apply in the case of wilful intent, gross negligence and/or damage to life, body or health. The Customer shall be obligated to promptly notify us in writing of any consequences of delay.

4 Prices, Terms of Payment

- 4.1 Prices quoted shall be ex works and do not include VAT, if applicable. Charges for packaging, freight and insurance shall be at the Customer's expense. The prices are understood to be exclusive of costs for the return and recycling/disposal of old equipment.
- 4.2 Invoices shall be paid in full, without deductions, and must be credited to our account in EURO (€) immediately or by the due date indicated on the invoice. Receipt of payment is applicable. We shall accept bills of exchange or checks only with a view to performance and at the Customer's expense.
- 4.3 In the case of customers, with whom we are working for the first time or with whom we do not regularly work, after delays in payment or in the case of reasonable doubt of the creditworthiness of the client, we retain the right to make any individual shipment dependent on payment in advance or a security deposit to the value of the invoice amount.
- 4.4 If the period between conclusion of the contract and the agreed delivery is longer than four months, we reserve the right to demand an extra charge, which corresponds to our cost increase until delivery, at our own discretion. For deliveries on call our then valid price shall apply.
- 4.5 In the case of an agreed return of faultless products, the customer will be charged a checking and processing fee to the value of 15% of the invoice amount (10 euros minimum).
- 4.6 If the Customer is in default of payment, then all of our debt claims against him shall be due immediately and we shall not be obligated to make any further deliveries based on current delivery contracts.
- 4.7 If default of payment occurs, we shall charge, notwithstanding further damage compensation claims, default interest to the amount legally allowed.
- 4.8 We may offset amounts payable to the Customer, such as a credit notes, against our claims against the Customer, if necessary.

5 Retention of Title and Assignment of Future Claims

- 5.1 Goods delivered shall remain our property until the complete and unlimited payment of all of our debt claims against the Customer. If we still have further claims against the customer, we reserve our property rights until the payment of this.
- 5.2 The Customer may neither use conditional goods nor merge nor combine them with other objects, to which a third party may have rights. If, however, conditional goods become a component of a new object, then we shall be a direct proportional co-owner of this object even if it constitutes a new legal entity. Our proportion of co-ownership shall be based on the relation of the invoice value of the conditional goods to the value of the new object at the time of the connection.
- 5.3 The Customer may resell the conditional goods in his normal course of business as long as his claims from the resale have not been assigned, pledged or otherwise encumbered.
- 5.4 The Customer shall assign to us in advance as collateral any claims against his customers from the resale of the conditional goods (see clause 5.3) and/or newly formed objects (see clause 5.2) to the value of our invoice for the conditional goods. If the Customer is not in default of payment for the conditional goods, he may collect the assigned claims in his normal course of business. However, he may only use the proportional proceeds for the payment to us for the conditional goods.
- 5.5 Upon the customer's request, we shall release collateral at our discretion, if and to the degree that the nominal value of the collateral exceeds 120% of the nominal value of our open debt claims against the Customer.
- 5.6 The Customer is required to immediately inform us of any attachments, confiscation or any other right to disposal of a third party with regard to the conditional goods or the goods co-owned by us.

- 5.7 In the case of failure to pay in exchanges or checks, or if debit requests or direct debit authorizations are not carried out or are retroactively cancelled, or if the Customer or the end user become insolvent or suspend payments, the Customer shall lose all rights as per clause 5.3. The Customer must immediately notify any subsequent purchaser of our extended retention of property rights. He may only use the proportional proceeds, which are based on the assignment, for the payment of the goods delivered.
- 5.8 If default of payment occurs or in those cases covered in clause 5.7, we shall be authorized to withdraw from the contract, and/or to demand the return of any conditional goods, even without withdrawal, in the possession of the Customer and/or to collect the assigned debt claims directly. In order to determine our rights, we shall have the right to have the Customer's documents and books concerning our reserved rights examined by a person who is subject to the professional duty of confidentiality.

6 Defects and claims for damages

- 6.1 We shall be liable for insuring that our products, including any agreed installation, are free of defects at the time of the transfer of risk (clause 2.1). The required composition, shelf life and use of our products are based solely on the written agreed specification, product description and/or operating instructions. Any information beyond this and in particular in preliminary discussions, advertisement and/or referenced industrial standards shall only become a part of the contract if they are expressly referenced in writing.
- 6.2 If the Customer requires the delivered goods for purposes other than those agreed, he must check before use if the products are specially suitable for such purposes – including all aspects pertaining to product safety – and Customer is required to ensure that products comply with all relevant technical, legal and official regulations and requirements. We shall not be responsible for the fulfillment of any application not expressly confirmed by us in writing. We are not liable for material or design guidelines of the Customer, concerning the suitability or permissibility of the desired materials or designs and thus have no particular testing obligation.
The observation of safety-related and occupational health regulations depends on the place and conditions of the use, of which we have no knowledge. Measures of the observation of these regulations are, therefore, the responsibility of the user.
- 6.3 We shall not be liable for the consequences of improper handling, use, servicing or operation of the products or the consequences of normal wear and tear of wearing parts such as pistons, seals, valves and the breakage of glass, plastic or ceramic parts, for the consequences of chemical, electrochemical or electrical influences or the failure to follow the instructions in the operating instructions.
- 6.4 In the case of justified deficiency claims we shall only initially be required to provide subsequent performance (i.e. free replacement or repair at our sole discretion). Any additional warranty claims shall only exist due to rejection, impossibility or failure of said subsequent performance. Additional expenses, resulting from the fact that the goods have been relocated from the initial place of delivery, shall be borne by the Customer.
- 6.5 The Customer shall be obliged to promptly and carefully check incoming products – also for product safety – and to notify us of any apparent deficiencies in writing, any hidden defects as soon as they are found. The Customer must notify the carrier immediately of any transport damage. Non-observation of the obligation to check and give notice of defects will void any and all warranty claims for those deficiencies.
- 6.6 Our liability for slight negligence is limited to claims owing to injury to life, the body or the health, to claims from product liability as well as claims from the culpable breach of essential contractual duties, through which the contract is endangered. Incidentally, our liability for slightly negligent breach of essential contractual duties is limited to the typically incurring damages which we could have foreseen when the contract was concluded.
- 6.7 If the customer uses the delivered goods with materials that are harmful to the environment, poisonous, radioactive or dangerous in any other way, he shall be obliged to clean them prior to any return shipment. We can put any necessary costs of decontamination/cleaning and disposal in the client's invoice.

7 Limitation of actions

- 7.1 Claims for defects against us shall be limited to one year from delivery of the goods to the customer. The same shall apply to claims for damages no matter for what legal grounds. The period of limitations of § 438, paragraph 1, no. 1 and 2 of the German Civil Code, and § 479, paragraph 1 and 634a, paragraph 1, no. 2 remain unaffected.
The restriction of the statute of limitations shall not apply to claims owing to malicious non-disclosure of a defect, for claims according to product liability and for damages from injury to life, the body or the health and for other damages, which are due to wilful intent or gross negligence.

8 Software use

- 8.1 Insofar as software is contained in the delivery, the Customer will be granted the non-exclusive right to use the software delivered including its paperwork. It shall also be available for use on the specific delivery item. Use of the software on more than one system is prohibited.
- 8.2 The Customer may only copy, transfer or translate the software in a legally acceptable scope (§§ 69 a ff of Copyright Law (UrhG)) or convert from the object code into the source code. The Customer is obliged to not remove manufacturer's instructions, especially copyright entries, or to change them without prior permission from the Supplier.
- 8.3 All remaining rights to the software and the documentation thereof, including copies, remain with the Supplier and/or Software Supplier. The allocation of sublicenses is not permissible.

9 Installation

- 9.1 Installation costs can be invoiced monthly. Fixed installation prices shall only apply to the work, which has been agreed upon. In other cases, our price list for installation and service costs shall apply.
- 9.2 The Customer shall be responsible for providing the following if required at his own expense: lighting, motive power: compressed air, water, electrical power for welding, heating including any required connections, electrical installations for the connection of the products delivered by us, the required devices (e.g., hoisting equipment), a room, which can be closed, for storing material, tools and clothing during the installation.

10 Spare Parts, Maintenance/Repair and Calibration

- 10.1 For spare parts, maintenance, repair and calibration services the valid repair and replacement price list shall apply.
- 10.2 If we have an obligation to maintain/deliver spare parts, then this shall be limited to a period of five years from the date of delivery of the original product. If the spare parts are not manufactured by us or are no longer available on the market, e.g. electrical components, or if the raw materials required for their production are no longer available, then our obligation to supply spare parts shall lapse.
- 10.3 For calibration and servicing, normally disposables from our production lines shall be used.
- 10.4 Any servicing and/or calibration service may only be performed after the Customer has declared the absence of health hazards with regard to the devices sent.
- 10.5 For service values of up to 50 euros, we reserve the right to service / repair without providing a separate cost estimate.

11 Legal reservation, industrial proprietary rights, secrecy

- 11.1 We reserve ownership in any of the moulds, tools or other appliances, samples, diagrams, commercial or technical documents produced or provided by us as well as all copyrights, proprietary and intellectual property rights in any such item. This applies also if the Customer has wholly or partly borne the costs of this. The use of any such item by the Customer is subject to our prior written approval. The Customer is neither entitled to manufacture the subjects of this agreement nor to have them manufactured on his behalf, without our approval in writing.
- 11.2 If we deliver goods according to designs or other requirements specified by the customer (models, samples etc.), he is liable by default for ensuring that through the production and delivery of these products industrial property rights or other rights of third parties are not infringed. He shall be obligated by default to provide compensation for all damages resulting from such legal infringements.
- 11.3 All information acquired through the business relationship with us which is not deemed to be public knowledge shall be deemed proprietary and may not be disclosed by the customer to any third party.

Status as of: November 2011



BRAND GMBH + CO KG · P.O. Box 11 55 · 97861 Wertheim · Germany
Tel.: +49 9342 808-0 · Fax: +49 9342 808-236 · E-Mail: info@brand.de · Internet: www.brand.de

