


5 – 200 µl Filter tips

732512



 PRODUCT
INFORMATION


Dimensions in mm

Volume	5 – 200 µl
Material	PP, Filter PE; autoclavable at 121°C (2 bar) acc. to DIN EN 285
Color	transparent
Packaging	bulk
Quality	Produced under cleanroom conditions acc.to ISO 14 644-1 class 8 CE-marked acc. to EC-Directive 98/79 EC (IVD).

5 – 200 µl Filter tips

732612 | 732712



Dimensions in mm


Volume	5 – 200 µl
Material	PP, Filter PE; autoclavable at 121°C (2 bar) acc. to DIN EN 285
Color	transparent
Packaging	racked
Quality	Cleanroom class 8 according to ISO 14 644-1, Free of DNA*, RNase and DNase, Free of pyrogens, according to LAL test **, CE-marked acc. to EC-Directive 98/79 EC (IVD).



* human and bacterial DNA, ** according to Limulus Amebocyte Lysate (LAL) test, detection limit 0.01 EU/ml

5 – 200 µl Filter tips

732632 | 732732



Dimensions in mm

Volume	5 – 200 µl
Material	PP, Filter PE; autoclavable at 121°C (2 bar) acc. to DIN EN 285
Color	transparent
Packaging	racked
Quality	Cleanroom class 8 according to ISO 14 644-1, Free of DNA*, RNase and DNase, Free of pyrogens, according to LAL test **, Sterile according to ISO 11 137, Free of ATP ,CE-marked acc. to EC-Directive 98/79 EC (IVD).



* human and bacterial DNA, ** according to Limulus Amebocyte Lysate (LAL) test, detection limit 0.01 EU/ml