

**Indice Alfabetico**  
**Indice Numerico**  
**Condizioni Generali**  
**di Vendita**



<b>A</b>					
Accessori per pipettaggio					
accu-jet® <i>pro</i>	97-99				
macro	100				
micro	101				
micro-classic	101				
micropipette, intraEND	252				
pompette per pipette	102				
accu-jet® <i>pro</i>	98, 99				
Accuratezza (informazioni)	319				
Adattatori per					
crogioli filtranti	276				
per Dispensette®, seripettor®, Titrette®, QuikSip™	26, 104				
puntali PD-Tips	96				
Agitatori	292-295				
a spatola	296				
ad asta	296				
con aste	291				
termometri	230				
Alcolometro					
Gay-Lussac + Cartier	227				
Richter + Tralles	227				
Analisi di tracce,					
Dispensette® TA	29-32				
Ancorette magnetiche	292-295				
Anse, monouso	244				
Apparecchiatura per					
il risciacquo per pipette	308				
Aspiratore (QuikSip™)	103, 104				
Aste magnetica					
per recupero ancorette	295				
Aste, agitatori	296				
ASTM					
provette per centrifughe	220, 221				
termometri	235				
<b>B</b>					
Bacinelle fotografiche	307				
Barattolo per campioni, PFA	298				
Bicchieri	265-268				
graduati	266, 267				
graduati con manico	267				
in plastiche	266-268				
in vetro	265				
BIO-CERT® (informazioni)	118				
BLAUBRAND® classe A/AS,					
informazioni	172, 173				
BLAUBRAND®, set di pipettaggio	100				
Bottiglie	193, 299-306				
a bocca larga	300-302, 306				
a bocca stretta	299, 300, 302, 303, 305, 306				
a spruzzetta	303				
con contagocce	304				
con rivestimento in plastica	299				
con tappo a spruzzetta	304				
di ricambio	204, 211, 212				
di vetro	299, 304				
filettate con rivestimento	299				
forma quadrata	299, 301				
lavaggio	280				
lavaggio gas	280, 281				
Bottiglie					
matracci per filtrazione					
(per imbusti di Buchner)	277				
per burette	212				
per laboratorio	299				
per ossigeno, modello Winkler	219				
PFA-	302, 303				
plastica	299-306				
PTFE	301				
spalla conica	299, 300				
tappi a spruzzetta	303				
vetro marrone	299				
Bottiglioni					
a bocca stretta	305, 306				
con rubinetto	305				
Bottletop dispenser, Dispensette®, seripettor®, seripettor® <i>pro</i>	17-38				
BRANDplates®/Piastrè microtiter					
96-pozetti	146, 152, 157				
384-pozetti	147, 153, 158				
1536-pozetti	148, 158				
coperchi	164				
Insert System	159-162				
informazioni	143-145, 149-151, 154-156, 163				
piastrè a strip	146, 152				
Brix, densimetri	227				
Burette per bottiglia Titrette®	39-44				
Burette automatiche					
Compatte	208-210				
Dr. Schilling	204				
Pellet	205-207				
informazioni	196				
Burette					
bottiglie	212				
canna in vetro	202, 203, 211				
compatte	201-203				
coperchi	213				
Dr. Schilling	204				
microburette, Bang	198				
parti di ricambio	202, 203				
Pellet	205-207				
pinza, per	212, 213				
puntali	202, 203, 211				
rubinetti, per	202, 203, 211, 214				
supporto, per	213				
vetro marrone	200				
vetro trasparente	197-200				
Bürker, celle contaglobuli	255				
<b>C</b>					
Calibrazione, servizio (informazioni)	326-329				
Calibrazione, Software para calibrazione EASYCAL™ 4.0	109-112				
Capillari					
per microematocrito	252				
per pipette	251				
per evaporazione	269, 270				
Capsula					
Petri	244				
cell-culture™ (aspiratore)	104				
Celle contaglobuli	253-256				
Cera sigilla capillari	252				
Certificati (informazioni)					
per strumenti volumetrici, del lotto BLAUBRAND®	173, 320				
Cilindri					
con tappo	193				
graduati	190-192, 194, 195				
graduati, in plastica	194, 195				
graduati, in vetro	190-192				
graduati, USP	191				
per densimetri	228				
per pipette	308				
Ciotoline, monouso	240, 241				
Coagulometer,					
provette per campioni	247				
Coefficiente di variazione (informazioni)	319				
Collo conico					
bottiglie	193, 212, 299, 300				
guaine	288				
imbusti	274				
raccordi	288				
tappi	290				
temometri	236				
Compatibilità chimica, plastiche	338-341				
Conformità Certificata (informazioni)	318				
Coni per sedimentazione					
Imhoff	221, 222				
supporti	223				
Coni smerigliati					
bottiglie	212				
con collare zigrinato, PTFE	289				
grasso al silicone	288				
guaine a pareti sottili	288				
molla di pressione	193, 212				
raccordi	288				
rubinetti per Burette	214				
tappi per	290				
Contentitori	298				
dispensatore da banco	142, 243				
per feci	242				
per l'ammollo (Apparecchiatura per il risciacquo delle pipette)	308				
per reattivi	67				
per urina	242				
secchi	306, 307				
Coperchio flessibile					
per microprovette per PCR	133				
per piastrè	133				
per piastrè con pozzo fondo	139				
Coplin, vaschetta	259				
COULTER COUNTER®,					
ciotoline per analizzatori	240				
Cristallizzatori	270				
Crogioli filtranti	276				
Cuevette					
micro	166				
macro e semi-micro	166, 167				
UV	166				
monouso	165-168				

<b>D</b>					
DAkkS, Servizio Calibrazione	326-329				
Delbrück, capillari monouso	251				
Densimetri	224-228				
alcolometro	227				
cilindri per	228				
modello Baumé	226				
modello Brix	227				
per usi speciali	228				
per usi generali	225-227				
per zuccheri	227				
scala ampia	225				
Detergenti					
disinfettanti	313				
e detergenti disinfettanti	311-314				
universali	312				
Disinfettanti per superfici	313, 314				
Disinfezione strumenti	313				
Dispensatore per PARAFILM® M	264				
Dispenser, pipette dosatrici	193				
Dispenser-Tips (PD-Tips)	95, 96				
Dispensette®	17-32				
compatibilità chimica	23				
dosaggio a distanza	28				
Dispensette® TA, Trace Analysis	29-32				
Distillatori, per acqua					
MonoDest 3000	310				
Dosaggio ripetitivo					
HandyStep® electronic	91-94				
HandyStep® S	87-90				
Dosatore, su-bottiglia	17-38				
Drechsel, Bottiglie lavaggio gas	280				
<b>E</b>					
EASYCAL™ 4.0 Software di calibrazione	109-112				
EDISONITE®	312				
EDISONITE®-SUPER	312				
Essiccatori e accessori	278, 279				
<b>F</b>					
Film					
sigillante PARAFILM® M	264				
sigillante per piastre	140				
Filtri a membrana					
adattatori per crogioli	276				
per aspiratore per pipette	99, 100				
per imbuti	276				
Fuchs-Rosenthal, celle contaglobuli	256				
<b>G</b>					
Gay-Lussac					
alcolometri	227				
Pyknometer	219				
Gomma					
adattatori per matracci	277				
pompe in gomma	212				
tappi in gomma	289				
Grasso silicone	288				
<b>H</b>					
HandyStep® electronic	91-94				
HandyStep® S	87-90				
Hellendahl, vaschetta	258, 259				
<b>I</b>					
Imbuti	272-275				
Büchner	274				
filtranti	276				
per coni smerigliati	274				
per damigiane	273				
per polveri	273				
separatori	275				
separatori, supporti	275				
Imhoff					
coni per sedimentazione	223				
supporti per coni	221, 222				
Indicatore di flusso	283				
Informazioni tecniche	317-344				
Insert					
System	159-162				
piastre	160, 162				
strip inserti	160-162				
Inserti					
per tappi	124				
per provette per criogenia	141				
intraEND, micropipette monouso	251				
intraMARK, micropipette monouso	251				
IVD, direttiva IVD, informazioni	330				
<b>L</b>					
Leak Testing Unit, per Transferpette®	105-108				
Life Science, (Informazioni)	115-118				
Limiti di errore (informazioni)	319				
<b>M</b>					
Macro aspiratore	100				
Malassez, celle contaglobuli	256				
Marchio CE	330				
Materiale plastiche	334-341				
Materiale vetro	331-333				
Matracci					
Erlenmeyer	265				
per filtrazione	277				
Matracci tarati	183-188				
con 3 segni di graduazione	186				
con rivestimento in plastica PUR	186				
in plastica	189				
in vetro	183-188				
secondo Kohlrausch	188				
trapezoidali	184				
USP	185, 187				
Mestolo per campionamento	268				
micro, aspiratore per pipette	101				
micro classic, aspiratore per pipette	101				
Microburette, modello Bang	198				
Micropipette					
IntraMARK	251				
IntraEND	251				
monocanale	50, 56, 64				
multicanale	51, 52, 58, 59, 65-67				
Transferpette® S	45-52				
Transferpette®	53-59				
Transferpette® electronic	61-67				
Microprovette	251				
inserti per tappi	124				
monouso	116-124				
supporti per	125, 142, 248				
tappo a vite	124				
Mini cooler	125, 142				
PCR	132				
per provette	125, 142				
Monitoraggio Strumenti Misura (informazioni)	321-323				
MonoDest 3000, Distillatori	310				
Mortaio con pestello, in plastica	270				
MucasoI®	312				
Mucocit®-P	313				
Mucocit®-T	313				
<b>N</b>					
Nageotte, cella contaglobuli	256				
Nastri di sterilizzazione	242				
Navicelle per pesata, monouso	298				
Nebulizzatore	305				
Neubauer, cella contaglobuli	254				
<b>P</b>					
PARAFILM® M					
film sigillante	264				
taglierina per	264				
Paraspruzzi (teste distillazione)	304				
Pasteur, pipette	249, 250				
PCR					
blanco	128-132				
microprovette	126-129				
microprovette strips	128, 129				
mini cooler	132				
pellicola autoadesiva	133, 140				
piastre	130-132				
scatola e supporto	132				
Pellet, burette automatiche	205-207				
Pellicola autoadesiva (PCR)	133, 140				
PFA					
barattolo per campioni	298				
bicchiere	267				
bottiglia a spruzzetta	303				
bottiglie	302, 303				
bottiglie lavaggio gas	281				
capsula per evaporazione	269				
matracci tarati	189				
provette per campioni	271				
Piastra con celle	260				
Piastre a strip	146, 152				
Piastre per microtitolazione/ BRANDplates®	137, 138, 143-163				
96-pozetti	137, 146, 152, 157				
384-pozetti	147, 153, 158				
1536-pozetti	148, 158				
coperchi	164				
per Insert System	160, 162				
Piastre con pozzo profondo	137, 138				
film sigillante	138				
Picnometri BLAUBRAND®	218, 219				
Pinze					
a molla	283				
per bottiglia per ossigeno	219				

Pinze					
per burette	212, 213				
Pinzette	297				
Pipette a cuscinetto d'aria,					
Transferpette®	53-59				
Transferpette® electronic	60-67				
Transferpette® S	45-52				
Pipette a dosaggio ripetitivo					
HandyStep® electronic	91-94				
HandyStep® S	87-90				
Pipette a pistone					
Transferpette® -8/-12	58, 59				
Transferpette® -8/-12					
electronic	65-67				
Transferpette® electronic	63, 64				
Transferpette® S	49, 50				
Transferpette® S -8/-12	51, 52				
Transferpette® <u>r</u>	83-86				
Pipette a spostamento positivo					
(Transferpette® <u>r</u> )	83-86				
Pipette graduate	177-182				
coltura tessuti	182				
in plastica	182				
modello a stantuffo	182				
USP	178				
Pipette, puntali					
con filtro	70, 71, 76, 77, 80-82				
qualità BIO-CERT®	74-81				
Ultra Low Retention	78-81				
Pipette tarate					
di vetro	174-176				
di plastiche	176				
USP	175				
Pipette					
adattatore per PLT unit	108				
apparecchiatura per il risciacquo	308				
campionamento gas	281				
capillari, monouso	251, 252				
cestelli, per	308				
cilindro, per	308				
contagocce, monouso	249				
contenitore per l'ammollo	308				
dosatrici (Bottiglia con tappo					
dosatore)	193				
Delbrück micropipette	251				
elettronici monocanale	63, 64				
elettronici multicanale	65-67				
micropipette capillari monouso	251				
monouso, micro	251				
multicanali	51, 52, 58, 59, 65-67				
precotonata	178-182				
Pasteur	249, 250				
portapipette	309				
precotonata	178-182				
serologice	181				
strumento per prove					
di tenuta	105-108				
Plastica					
bicchieri	266-268				
bicchieri graduati	266, 267				
bottiglie	299-306				
cilindri graduati	194, 195				
clips per congiunzioni	288				
Plastica					
coni per sedimentazione Imhoff	222				
contenitori	298				
cuvette	166, 167				
imbuti	272-275				
materie Plastiche,					
(informazioni)	335-341				
matraci tarati	189				
pinzette, in	297				
pipette graduate, in	182				
pipette tarate, in	176				
portaprovette	248				
puntali	68-82				
raccordi per tubi	284-286				
rubinetti	287				
tappi	289, 290				
tubi	283				
PLT unit, strumento					
per prove di tenuta	105-108				
Pompa per vuoto a getto d'acqua	282				
Portaimbuto	275				
Portapipette	309				
Portaprovette	248				
Prodotti monouso					
agitatori a spatola	167				
anse per inoculazione	244				
capillari per micro-ematocrito	252				
capsule Petri	244				
ciotoline per analizzatori	240, 241				
contenitore per feci	242				
contenitore urina	242				
cuvette	166, 167				
guaine per coni smerigliati	288				
micropipette, Delbrück					
micropipette, intraMARK	251				
micropipette, intraEND	251				
microprovette	119-124				
microprovette PCR	126-129				
piastre PCR	130-132				
piastre per microtitolazione	143-163				
pipette contagocce	249				
pipette Pasteur	249, 250				
provetta per campioni,					
Coagulometer	247				
provette per centrifuga	245, 246				
provette per coltura	245				
provette per criogenia	141				
provette per sedimentazione	247				
puntali (bulk, rack)	74-77				
puntali con filtro	76, 77, 80, 81				
puntali PD-Tips	95, 96				
sacchetti per rifiuti	243				
tappi	246, 247				
UV cuvettes	166				
Provette					
coagulometro	247				
confezionati in rack, bulk	139				
graduate	245, 246, 271				
per campioni	247, 248, 271				
per centrifuga	245, 246, 271				
per coltura	245				
per criogenia	141, 142				
per sedimentazione	247				
Provette					
portaprovette, per	248				
rack	139				
secondo ASTM	220, 221				
PTFE, articoli in					
agitatori ad asta	296				
agitatori con asta	291				
ancorette magnetiche	292-295				
asta magnetica	295				
bicchieri	268				
bottiglie	301				
bottiglie con contagocce	304				
coni con collare zigrinato	289				
cristallizzatori	270				
guaine per coni smerigliati	288				
mestolo per campionamento	268				
pinzette	297				
raccordi / PTFE - morsetti	288				
rubinetti	202, 203, 287				
tappi	290				
vetri d'orologio	269				
Pulizia, desinfezione e sterilizzazione					
(Informazioni)	342, 343				
Puntali					
BIO-CERT®, in rack	74-77				
con filtro	76, 77, 80, 81				
con filtro BIO-CERT®, in rack	76, 77				
con filtro, in bulk e in rack	76, 77				
con filtro, Low Retention	80, 81				
confezionati in rack	74-77				
in bulk e in rack	74-77				
per pipette automatiche	68-82				
Ultra Low Retention	78-81				
PD-Tips	95, 96				
adattatori	96				
BIO-CERT®	96				
Pursept®-A					
disinfettante spray	314				
fazzolettini disinfettanti	314				
Pursept®-AF disinfettante					
concentrato	313				
Pursept® Wipes XL					
dispenser	314				
panni	314				
<b>Q</b>					
Quality Management (informazioni)	318				
QuikSip™ BT-Aspirator	103, 104				
<b>R</b>					
Raccordi					
a spinotto per tubi	286				
di giunzione per tubi	284-286				
Rack con provette	139				
Repetive Pipette					
HandyStep® electronic	91-94				
HandyStep® S	87-90				
Rubinetti					
a tre vie	287				
a una via	287				
bottiglioni	305				
con valvola a spillo	278				
foro diritto	287				

Rubinetti					
per burette	202, 203, 211, 214				
Rulli per pellicole sigillanti	140				
<b>S</b>					
Saccarimetri	227				
Sacchetti					
per rifiuti	243				
per rifiuti e supporto	243				
SafetyPrime™ valvole di riciclo	26, 32				
Scatola portavetrini	260				
Schiefferdecker, vaschette	259				
Schilling Dr., burette automatiche	204				
Scolavetreria	309				
Secchi	306				
Secchio per ghiaccio	307				
seripettor®	33-38				
seripettor® <i>pro</i>	33-38				
campi di applicazione	36				
Sessole in plastica	297				
Set di pipettaggio BLAUBRAND®	100				
Sicurezza informazioni	344				
Sigillante, PARAFILM® M Film	264				
SILBERBRAND classe B					
(informazioni)	172				
Silicone					
grasso	288				
tappi	289				
Sostegni					
con base piatta	213				
per burette	213				
per micropipetta capillari	252				
portamicroprovette	248				
portapipette	309				
portaprovette	248				
Spatole	296				
Starter-Kit Transferpette® <i>S</i>	50				
Stoppino di cotone per pipette	180				
Strumenti volumetrici					
(informazioni)	171-173				
Strumento per prove di tenuta	105-108				
Supporti per					
PCR	132				
bottiglie	26, 32				
sacchetti per rifiuti	243				
burette	213				
coni sedimentazione					
(Imhoff)	223				
cuvette	167				
imbuti	275				
imbuti separatori	275				
microprovette	142, 248				
microprovette PCR	132				
portaimbuti	275				
portaprovette	248				
provette per criogenia	142				
Transferpette®	57, 59				
Transferpette® electronic	64				
Transferpette® <i>S</i>	52				
Transferpettor	86				
Supporto a parete per					
accu-jet® <i>pro</i>	99				
HandyStep® <i>S</i>	90				
Supporto a parete per					
Transferpette®	57				
Supporto bottiglie,					
per Dispensette®/Titrette®	26, 32				
<b>T</b>					
Taglierina per PARAFILM® M	264				
Taniche	306				
Tappi					
alettati per provette	247				
a spruzzetta	303				
conico smerigliato	290				
in gomma	289				
in silicone	289				
per provette graduate	246, 247				
Tecnologia Easy Calibration	324, 325				
Termometri	229-236				
agitatori	230				
ASTM	235				
con cono a smerigliatura					
normalizzata	236				
di Anschütz	233				
di precisione	232-236				
in vetro massiccio	230-235				
massima	232				
per alte temperature	233				
per basse temperature	233				
per distillazione	236				
per punto di congelamento	234				
per punto di cristallizzazione					
e punto di solidificazione	234				
per punto di gocciolamento	234				
per punto di solidificazione	234				
scala in vetro latteo	230, 232, 236				
senza mercurio	231				
tascabili	231				
Tettina contagocce	250				
Thoma, celle contaglobuli	255				
TipBox (puntali per pipette					
automatiche)	70-72, 74-81				
TipRack (puntali per pipette					
automatiche)	70, 72-77				
TipStack™ (puntali)	71-75, 78, 79				
Titrette®	39-44				
Transferpette®	53-57				
Transferpette®-8/-12	58, 59				
Transferpette® electronic	61-64				
Transferpette®-8/-12 electronic	65-67				
Transferpette® PipSet	57				
Transferpette® <i>S</i>	45-50				
Transferpette® <i>S</i> -8/-12	51, 52				
Transferpettor	83-86				
Tubi	283				
Tubi di essiccamento	27				
Türk, celle contaglobuli	255				
<b>U</b>					
Unità di dosaggio,					
per Dispensette® TA	32				
USP					
cilindri Graduati	191				
matraci Tarati	185, 187				
pipette Graduate	178				
USP					
pipette tarate	175				
<b>V</b>					
Valori di RCF (Informazioni)	119				
Valvola non ritorno	286				
Vaschette	258-260				
Vetri d'orologio	269				
Vetrini					
coprioggetto	257				
portaoggetto	257, 258				
scatole portavetrini	260				
vaschette	258, 259				
Vetro laboratorio					
(informazioni)	331-333				
Vetro marrone					
bottiglie, in	212, 299				
buretti, in	200				
matraci tarati, in	187				
Vuoto					
essiccatori	278, 279				
pompa a getto d'acqua	282				
<b>W</b>					
Winkler, bottiglie per ossigeno	219				

Codice	Pagina
62 08	38
66 22	27, 32
66 36	44
66 37 - 66 96	27
66 97 - 66 98	27, 38
67 07	38
67 83	44
67 88	104
67 90	38
100 02 - 100 14	203
115 00 - 115 05	204
115 10 - 115 15	202, 211
115 25	211
116 00 - 118 00	203
118 05	202
120 13 - 120 18	200
120 93 - 120 98	199
124 64 - 124 88	197
135 06 - 135 08	199
135 32 - 135 38	200
135 63 - 135 68	199
138 44 - 138 88	197
139 03 - 139 28	201
139 33 - 139 58	202
164 00 - 165 10	213
165 15 - 165 20	212
219 11 - 219 18	206
223 02 - 223 18	207
223 22 - 223 38	206
225 21 - 227 68	205
233 10 - 234 00	212
237 13 - 237 24	204
237 25 - 237 28	204, 211
237 45 - 237 68	204
238 09 - 238 11	210
238 19 - 238 21	209
238 29 - 238 30	210
238 33 - 238 68	211
238 75 - 238 76	212
238 82	213
239 09 - 239 21	208
239 29 - 239 30	209
242 55 - 245 99	198
253 00 - 254 00	102
258 00 - 259 31	101
259 33 - 259 62	104
260 06 - 262 25	100
263 00 - 265 30	99
265 35	104
266 30	99
270 01 - 270 13	179
270 69 - 271 15	181
271 60 - 271 79	182
272 06 - 272 09	181
273 06 - 273 19	180
275 06 - 275 13	178
276 07 - 276 14	182
277 02 - 277 04	181
277 05 - 277 16	180
277 21 - 277 31	179
278 16 - 278 48	178
282 05	180
283 00 - 283 05	309
284 05 - 284 15	180
288 00 - 292 15	308
295 01 - 295 19	176
297 01 - 297 19	175
297 21 - 300 18	176
305 02 - 306 19	175
309 00	309
311 06 - 311 15	182
317 08 - 319 08	191
319 09 - 319 63	191, 192
319 64 - 321 64	191
324 08 - 324 62	193
327 05 - 328 64	191
339 08 - 339 62	193
347 08 - 350 64	195
351 08 - 351 64	194
360 08 - 362 54	189

Codice	Pagina
364 01 - 364 19	187
365 48 - 365 53	186
367 43 - 367 55	188
368 38 - 369 84	185
370 45 - 370 53	187
372 34 - 372 94	184
374 01 - 374 91	187
382 04 - 382 10	186
408 02 - 410 16	267
415 20 - 416 62	195
420 08 - 420 64	192
430 05 - 430 88	193
432 05 - 432 38	219
433 05 - 434 38	218
440 03 - 443 65	312
448 22 - 448 25	313
448 30 - 448 45	314
448 50 - 449 20	313
455 40 - 458 00	270
458 02	269
500 00	228
514 16 - 514 21	288
514 22	193, 288
514 23 - 514 30	288
514 63 - 514 69	289
555 60 - 555 95	288
556 18	193, 212
556 38 - 556 49	288
562 15 - 563 65	310
616 05 - 616 10	288
617 50	242
618 15 - 618 20	241
619 50 - 620 20	298
623 05	242
623 10 - 623 15	241
650 31 - 657 43	278
658 04 - 660 30	279
717 71 - 723 78	306
737 14 - 737 29	277
745 06 - 745 11	275
760 05 - 760 55	283
781 00	281
781 38 - 781 62	280
782 00	281
782 38 - 782 62	280
783 00 - 783 62	281
810 53 - 812 48	214
812 55 - 812 65	207
818 05 - 822 22	214
824 15	278
875 02 - 878 26	266
885 05 - 886 80	287
901 20 - 902 62	267
903 05 - 904 70	268
906 17 - 928 63	265
931 70 - 931 85	268
949 05 - 949 15	274
951 05 - 951 11	309
1107 05 - 1107 10	270
1128 05 - 1131 35	297
1139 31 - 1141 30	245
1143 08 - 1145 24	271
1147 15 - 1147 60	247
1148 17 - 1148 23	245
1148 30 - 1148 44	141
1148 45 - 1148 51	141, 142
1148 52 - 1148 54	141
1148 60 - 1148 66	142
1149 30 - 1149 40	125
1150 15 - 1150 20	240
1153 42 - 1153 76	246
1155 10 - 1155 20	248
1225 20 - 1226 64	299
1245 29 - 1246 39	304
1247 00	250, 304
1252 16 - 1253 28	304
1254 00 - 1254 20	249
1269 38 - 1269 62	280
1269 63	193
1269 65 - 1270 65	212

Codice	Pagina
1287 48 - 1289 62	302
1290 08 - 1290 54	300
1290 55 - 1290 60	204, 211
1290 62 - 1292 06	300
1292 08 - 1292 14	301
1292 20 - 1292 24	303
1292 30 - 1292 36	304
1292 50 - 1292 52	189
1292 54 - 1292 56	298
1292 60 - 1292 74	302
1292 73 - 1292 75	303
1293 28 - 1293 64	301
1294 08 - 1294 64	300
1296 28 - 1296 64	301
1298 38 - 1298 74	299
1299 38 - 1302 54	300
1302 60	204, 211
1302 62 - 1302 64	300
1303 20 - 1304 28	301
1304 80 - 1304 88	302
1305 05 - 1305 64	301
1308 70 - 1308 74	305
1309 70 - 1309 74	306
1311 00 - 1311 74	305
1316 60 - 1316 64	306
1319 00 - 1319 02	243
1340 02	286
1340 80	283
1341 26 - 1356 00	291
1358 05 - 1363 35	296
1371 00 - 1371 60	292
1371 68 - 1371 99	293
1373 00 - 1373 25	294
1374 04 - 1374 45	292
1376 07 - 1376 25	293
1376 30 - 1376 38	294
1377 00 - 1377 55	295
1378 05 - 1378 48	293
1379 05 - 1379 19	295
1379 26 - 1379 35	294
1379 50	295
1390 35 - 1391 35	297
1398 10 - 1398 20	296
1400 04 - 1403 00	275
1432 55 - 1433 64	283
1438 48 - 1441 62	303
1441 80 - 1441 90	305
1443 05 - 1443 99	289
1444 05 - 1446 45	290
1455 05 - 1456 38	272
1465 06 - 1465 23	273
1470 00 - 1470 35	272
1470 40 - 1482 45	273
1485 00 - 1485 02	275
1485 05 - 1486 40	274
1500 10 - 1500 65	269
1500 70 - 1500 80	268, 269
1509 00 - 1509 22	269
1522 50 - 1522 75	284
1523 00	286
1524 00 - 1525 10	284
1526 05 - 1526 15	285
1527 05 - 1527 70	284
1528 00 - 1529 20	285
1530 05 - 1531 35	286
1532 05 - 1532 35	285
1555 40 - 1555 50	298
1561 00 - 1566 50	307
1596 00 - 1596 70	282
2350 10 - 2350 30	281
3620 38	220
3621 38	221
3623 38	220
3655 38	188
3860 38 - 3861 48	219
3873 62	221
3874 62	222
3876 62	221
3880 00	222
3880 50 - 3880 60	223

Codice	Pagina	Codice	Pagina	Codice	Pagina
4020 38 - 4020 46	188	7075 25 - 7075 37	44	7805 05	121
4520 00 - 4557 51	244	7075 42	32	7805 07	120
4580 21 - 4587 34	276	7079 15 - 7079 18	26	7805 36	121
4620 26 - 4632 43	277	7079 25 - 7079 26	27	7806 05 - 7806 08	125
4636 16 - 4661 34	276	7079 28	26	7807 00 - 7807 14	123
4700 45 - 4708 20	257	7079 30	27	7807 20 - 7807 24	124
4714 00 - 4718 00	260	7079 35 - 7079 38	26	7807 30 - 7807 34	123
4720 00 - 4727 00	258	7079 45 - 7079 56	32	7807 40 - 7807 44	124
4728 00	259	7084 40 - 7084 45	111	7807 50 - 7807 54	123
4731 00	258	7084 62 - 7084 72	112	7807 55 - 7807 75	124
4735 00	259	7086 05	252	7810 29 - 7810 40	245
4743 00 - 4743 05	260	7086 60 - 7091 09	251	7812 60	132
4744 00 - 4744 10	259	7091 10	252	7812 80 - 7812 94	129
4747 01 - 4747 44	257	7091 18	251	7813 00 - 7813 14	127
4755 05 - 4755 65	258	7091 22	64, 251	7813 16	128
4758 00 - 4769 00	260	7091 33 - 7091 44	251	7813 30	129
5770 38 - 5778 57	270	7178 05 - 7178 20	254	7813 32 - 7813 44	128
5778 91 - 5779 00	167	7180 05 - 7180 20	255	7813 45 - 7813 48	132
5780 00	213	7186 05 - 7186 20	254	7813 50	130
7013 30	138	7189 05 - 7189 20	255	7813 57	131
7013 40 - 7013 54	137	7190 05	256	7813 58 - 7813 62	132
7013 55 - 7013 62	138	7195 05 - 7195 20	255	7813 64	131
7013 64 - 7013 65	140	7198 05 - 7213 05	256	7813 66	130
7013 67	133	7220 55 - 7220 60	240	7813 71	131
7013 68	138	7230 14 - 7230 16	257	7813 80	140
7013 70	140	7320 02 - 7320 08	74	7813 90 - 7813 91	133
7015 01 - 7016 50	264	7320 10 - 7320 12	75	7814 00	131
7018 07 - 7018 78	85	7320 22 - 7320 28	74	7814 02 - 7814 05	133
7019 00 - 7019 68	86	7320 30 - 7320 32	75	7814 11	129
7023 68 - 7024 04	96	7321 02 - 7321 08	74	7815 00 - 7815 83	139
7024 06 - 7024 38	96	7321 10 - 7321 12	75	7816 00 - 7816 14	146
7025 95 - 7026 08	75	7321 22 - 7321 28	74	7816 20 - 7816 27	147
7026 83 - 7026 96	96	7321 30 - 7321 32	75	7816 40	148
7028 04 - 7028 12	85	7322 02 - 7322 08	74	7816 60	146
7028 52 - 7028 90	86	7322 10 - 7322 12	75	7816 80 - 7816 87	147
7032 03	57	7322 22 - 7322 28	74	7817 00	148
7032 08	57, 14	7322 30 - 7322 32	75	7817 20 - 7817 31	152
7032 10	57	7322 44 - 7322 48	74	7817 40 - 7817 42	153
7034 09 - 7034 11	67	7322 52	38, 75	7817 80 - 7817 89	152
7034 40	59	7322 64	38, 74	7818 00 - 7818 02	153
7034 59	67	7322 68	74	7818 40 - 7818 51	152
7036 00 - 7036 32	59	7322 72	38, 75	7818 60 - 7818 67	153
7037 00 - 7037 32	52	7323 02 - 7323 04	78	7819 00 - 7819 02	157
7039 70 - 7039 79	108	7323 06	44, 79	7819 04 - 7819 05	140, 157
7040 02 - 7040 20	299	7323 08 - 7323 12	79	7819 06 - 7819 71	157
7040 70 - 7040 75	57	7323 22 - 7323 24	78	7819 80 - 7820 02	158
7041 01 - 7041 82	56	7323 26 - 7323 32	79	7820 22 - 7820 31	157
7041 90	57	7323 44	78	7820 40 - 7820 47	158
7042 01 - 7042 08	27	7323 48 - 7323 52	79	7820 82 - 7820 91	157
7042 09 - 7042 72	28	7323 64	78	7821 00 - 7821 07	158
7042 75	26	7323 68 - 7323 72	79	7821 50 - 7821 53	164
7042 81 - 7042 82	28	7325 02 - 7325 04	76	7823 00 - 7823 01	146
7043 25 - 7044 31	26	7325 08 - 7325 14	77	7823 05 - 7823 06	152
7044 86 - 7044 95	27	7326 02 - 7326 06	76	7828 00 - 7828 91	162
7045 00 - 7045 08	37	7326 08 - 7326 14	77	8000 01 - 8001 04	230
7045 18 - 7045 20	38	7326 22 - 7326 26	76	8002 00 - 8002 08	231
7045 22 - 7045 23	37	7326 28 - 7326 34	77	8004 01 - 8006 48	230
7045 26	104	7327 02 - 7327 06	76	8040 02 - 8045 33	232
7045 32 - 7045 51	38	7327 08 - 7327 14	77	8050 01 - 8120 10	233
7045 54 - 7045 80	104	7327 22 - 7327 26	76	8130 49 - 8130 61	236
7046 52	52	7327 28 - 7327 34	77	8206 00	232
7047 08 - 7047 93	50	7328 02 - 7328 10	80	8385 01 - 8385 03	231
7048 05 - 7048 10	52	7328 12 - 7328 14	81	8668 01 - 8711 01	234
7050 00 - 7050 53	94	7328 22 - 7328 30	80	8800 01 - 8800 90	235
7051 10 - 7051 30	90	7328 32 - 7328 34	81	9660 30 - 9685 23	225
7052 99 - 7053 03	32, 38, 64	7329 90 - 7329 96	74	9695 10 - 9696 16	226
7053 06 - 7053 07	38, 44, 64	7477 15 - 7477 20	250	9700 10 - 9705 10	225
7053 09	32, 38, 64	7477 50 - 7477 75	249	9715 28 - 9715 42	226
7053 10 - 7053 26	64	7493 11 - 7495 10	252	9803 10 - 9847 15	227
7053 27	32, 44, 64	7589 00	242	9874 02 - 9929 10	228
7053 29	64	7589 01 - 7589 10	242	43400 00 - 43400 63	248
7053 86	57	7590 05 - 7591 15	167	43410 00 - 43410 53	125
7053 90 - 7053 93	64	7591 50 - 7592 43	166	47001 00 - 47003 61	24
7053 99 - 7054 36	66	7595 00	167	47201 20 - 47204 50	37
7054 49 - 7054 70	67	7597 00 - 7597 10	243	47231 50	104
7054 73	57, 67	7598 00	167	47301 30 - 47303 61	25
7054 74 - 7054 86	67	7685 05 - 7685 10	307	47400 40 - 47402 41	32
7060 80 - 7060 81	26	7685 15	309	47601 41 - 47602 61	43
7060 86	32	7780 12 - 7794 20	271		
7060 90	26	7804 00 - 7805 02	120		

# BRAND GMBH + CO KG General Terms and Conditions

## 1. General

- 1.1. These General Terms and Conditions (GT&C) are intended for use in commercial transactions between businesses.
- 1.2. These GT&C shall apply for all, including future, contracts with the customer. Other terms and conditions shall not become part of the contract, even if we do not expressly object to them. Subsidiary agreements made before or at the time of conclusion of contract may only be invoked if they are immediately confirmed in writing. The waiver of the requirement for written form shall only be possible in writing. The language of the contract shall be German or English.  
In the event of a discrepancy between the German language version of these GT&C and a version in any language, the German language version shall prevail.
- 1.3. Our offers are subject to change and non-binding. We reserve the right to make technical improvements to our products.
- 1.4. We may store and process data in our IT system necessary for the purpose of processing the contract.
- 1.5. A set-off by the customer shall not be permitted unless the counterclaims are undisputed or legally established, or pecuniary counterclaims arising from the right to refuse payment pursuant to Section 320 Bürgerliches Gesetzbuch (BGB) (German Civil Code).
- 1.6. Orders with a goods value of below € 250 shall be subject to a minimum order surcharge of € 50. Delivery shall be undertaken generally in packaging units (PU) according to the currently valid price list. For deliveries within five (5) working days or for order values up to € 500, we reserve the right to waive an order confirmation.
- 1.7. The place of jurisdiction shall be the court responsible for our head office in Wertheim/Mosbach, Germany. We shall also be entitled to appeal to the court responsible for the head office of our customer. We shall, furthermore, as plaintiffs have the right to invoke the Arbitration Court at the Chamber of Commerce and Industry in Frankfurt am Main, Germany. The Arbitration Court shall, in this case, make the final judgment in accordance with the Rules of Arbitration of the Chamber of Commerce and Industry in Frankfurt am Main without recourse to the ordinary courts of law. The instigation of legal dunning proceedings by us shall not signify the exertion of our right of choice; it shall be admissible in all cases.
- 1.8. German law shall apply exclusively under the exclusion of the conflict of laws principles of Private International Law and the UN Convention on Contracts for the International Sale of Goods (CISG).

## 2. Delivery

- 2.1. The place of performance shall be our factory in Wertheim, Germany. The risk shall transfer to the customer when the delivery leaves the ramp at our factory. This shall also apply to partial deliveries or where we have performed additional services, such as shipping; costs for transport, packaging or insurance; exportation and installation.
- 2.2. Insofar as we have agreed to orders on call, the customer must take delivery of the total amount within six (6) months, at the latest at the date confirmed by us.
- 2.3. In the case of a delay in the customer's acceptance of a delivery, we may, without prejudicing our claim for performance, have the goods put into storage at the cost of the customer or, after providing a warning and setting a deadline for the customer, otherwise dispose of them.

## 3. Delivery Period, Delay

- 3.1. Delivery times shall be ex works. Delivery periods shall begin on receipt of our order confirmation by the customer; however only after settlement of any technical issues pending from the conclusion of the contract; and after receipt of any documents to be provided to us by the customer, such as drawings, permits or approvals; and definitely not before receipt of agreed advance payments. The delivery period shall be considered to have been met if readiness for dispatch has been notified before the expiry of this period. Delivery shall be subject to us receiving our own supplies punctually and in good order.
- 3.2. Force Majeure and circumstances beyond our control, such as strikes, lock-outs, operational disruption, shortages of raw materials and equipment, delayed delivery or non-delivery by our suppliers, shall extend the delivery periods accordingly and shall release us from our delivery obligations if they, as a result, render delivery impossible. We shall also not be liable for the circumstances described above if they arise during an already existing delay. The same shall apply for any additional or amended services requested by the customer.
- 3.3. We shall be considered to be in default of delivery only if the customer has issued us with a reminder, has set a reasonable extension period which has elapsed.
- 3.4. In the case of delay damages, our liability for compensation shall be limited to 10% of the value of the delayed delivery/service. The limitation shall not apply in cases of wilful intent, gross negligence and/or injury to life, limb or health. The customer shall be obliged to immediately inform us in writing of any likely consequences of delay.

## 4. Prices, Terms of Payment

- 4.1. Prices shall be EXW (Incoterms® 2010 ex works), Wertheim and exclusive of statutory VAT, if applicable. Costs of packaging, transportation, freight and insurance shall be borne by the customer. Prices shall also be exclusive of the cost of returning and recycling/disposing of old equipment.
- 4.2. Invoices shall be payable to our account in EURs (€) without deductions and free of charges and expenses. Payment shall be made immediately or by the date stated. The determinant factor shall be the receipt of payment. Cheques and bills of exchange shall only be accepted on account of performance and at the cost of the customer.
- 4.3. In the case of customers, with whom we are working for the first time or with whom we do not work regularly, after delay in payment or in the case of reasonable doubt as to the creditworthiness of the customer, we shall reserve the right to make individual deliveries dependent on a pre-payment or a security deposit to the value of the invoice amount.
- 4.4. Should the period between conclusion of contract and agreed delivery exceed four (4) months, so may we, at our discretion, demand a reasonable additional charge equivalent to the increase in our costs up until delivery. For deliveries on call, our current price shall apply.
- 4.5. In the case of an agreed return of goods that are free of defects, the customer shall be charged a checking and processing fee of 20% of the invoice amount (minimum € 50).
- 4.6. Should the customer be in arrears with payment, our debt claims against him shall be due immediately, and we shall not be obliged to make any further deliveries based on current delivery contracts.
- 4.7. If payment is delayed, we shall charge - notwithstanding further damage compensation claims - interest on arrears at the statutory rate.
- 4.8. We may offset amounts payable to the customer (e.g. from credit notes) against our claims against the customer.

## 5. Retention of Title, Assignment of Future Claims

- 5.1. The goods delivered shall remain our property until the complete and unlimited payment. Should we still have further claims against the customer, we shall then retain our property rights until payment of these has been effected.
- 5.2. The customer may neither use goods subject to retention of title nor combine them with other objects to which a third party may have rights. Should, however, goods subject to retention of title become, through their combination with other objects, part of a new (complete) item, we shall be a proportional co-owner of this new item directly, even if this latter component is regarded as the main component. Our proportion of co-ownership shall be determined by the ratio of the invoice value of the goods to the value of the new item at the time of combination.
- 5.3. The customer may resell goods subject to retention of title in the course of his normal business as long as he has not assigned, pledged or otherwise encumbered his claims from the resale.
- 5.4. The customer shall assign to us in advance as collateral any claims against his customers from the resale of the goods subject to retention of title (see Clause 5.3) and/or newly formed items (see Clause 5.2) to the value of our invoice for the goods subject to retention of title. As long as the customer is not in default of payment for the goods subject to retention of title, he may collect the assigned claims in the ordinary course of business. He may, however, only use the proportional proceeds for the payment to us for the goods subject to retention of title.
- 5.5. At the customer's request, we shall release collateral at our discretion if and to the extent that the nominal value of the collateral exceeds 120% of the nominal value of our outstanding debt claims against the customer.

- 5.6. The customer shall be required to inform us immediately of any attachments, seizures or any other third-party dispositions relating to the goods that are reserved or co-owned by us.
- 5.7. In the event of failure to pay bills of exchange or cheques, or failure or recall of a payment made via SEPA Direct Debit Scheme, suspension of payments or insolvency of the customer or of the end buyer, the rights of the customer under Clause 5.3. shall no longer be valid. The customer must then immediately inform the buyer of our extended retention of title; he may use the assignment of relevant proportional proceeds only to pay for the delivered goods.
- 5.8. Where payment is delayed and in the cases covered in Clause 5.7, we shall be entitled to withdraw from the contract and/or, without withdrawing from the contract, demand the return of any goods subject to retention of title still in possession of the customer and to collect the assigned receivables ourselves. In order to ascertain our rights, we shall be entitled to have all of our customer's documents/books concerning our reserved rights examined by a person who is subject to the professional duty of confidentiality.

## 6. Warranty, Limitation of Liability

- 6.1. We warrant that our delivered goods (including any agreed installation) are free of defects at time of risk transfer. The required quality, durability and use of our delivered goods are based solely on the agreed written specification, product description and/or operating manuals. Any information beyond this, in particular in preliminary discussions, advertising and/or referencing industrial standards shall only become part of the contract if they are expressly referenced in writing.
- 6.2. Should the customer requires the delivered goods for purposes other than those agreed, he must take responsibility himself for examining their special suitability for this - also in terms of product safety - and ensure their compliance with all relevant technical, legal or regulatory provisions before the intended use. We shall not be liable for any usability that was not expressly confirmed by us in writing. In the case of material or design requirements of the customer, we shall accept no liability for the suitability or permissibility of the desired materials or designs, and shall, in this respect, have no particular testing obligation. Compliance with safety-related and occupational health regulations depends on the location and operating conditions of which we have no prior knowledge. Action for ensuring compliance shall therefore be the responsibility of the customer or his buyer.
- 6.3. We shall not be liable for the consequences of improper handling, use, maintenance and operation of the delivered goods; the consequences of normal wear and tear, in particular of wearing parts, such as pistons, seals, valves; the breakage of glass, plastic or ceramic parts; for the consequences of chemical, electrochemical or electrical influences; or non-observance of the operating instructions.
- 6.4. If a notice of defect is justified, we shall initially only be required to provide supplementary performance. Supplementary performance shall be, at our discretion, either rectification of the defect or delivery of goods free of defects. Further warranty claims shall only apply in the event of rejection, impossibility or failure of the supplementary performance. The customer shall bear additional expenses, which arise from the fact that the goods were taken after delivery to a location other than the agreed place of performance.
- 6.5. The customer must, immediately upon receipt of the goods, inspect them carefully, also in terms of product safety, and notify obvious defects immediately in writing; any hidden defects must be immediately notified upon discovery. The customer must notify the carrier immediately of any transport damage. Failure to observe the testing and notification obligation shall void any customer claims for defects.
- 6.6. Our liability for slight negligence shall be limited to claims for injury to life, limb or health, to claims under the Produkthaftungsgesetz (German Product Liability Act) or to claims of culpable breach of fundamental contractual obligations through which the purpose of the contract is endangered. Otherwise, our liability for slightly negligent breach of fundamental contractual obligations is limited to the typically occurring damages which we could have foreseen when the contract was concluded.
- 6.7. Should the customer use the delivered goods in conjunction with environmentally harmful, toxic, radioactive or otherwise hazardous materials, he shall be obliged to clean them before returning them to us. If applicable, we may charge any necessary costs for decontamination/cleaning and disposal to the customer's account.

## 7. Limitation Period

The warranty period shall be one year and starts from the date of delivery of the goods to the customer. The same shall apply for claims for damages, irrespective of their legal basis. The limitation periods of Section 438 Para. 1 Nos. 1 and 2, Section 479 Para. 1 and Section 634a Para. 1 No. 2 of the BGB (German Civil Code) shall remain unaffected. The restriction of the limitation period shall not apply to claims based on fraudulent concealment of a defect, for claims under the Produkthaftungsgesetz (German Product Liability Act) or for damages resulting from injury to life, limb or health or other damages based on intent or gross negligence. The limitation period in respect of replaced or repaired goods shall not commence anew.

## 8. Software Use

- 8.1. If software is included in the scope of a delivery, the customer shall be granted a non-exclusive right to use the software and its associated documentation. It is provided for use on the designated delivery item. The use of the software on more than one system shall be prohibited.
- 8.2. The customer shall only be entitled to copy, transfer or translate the software or to convert it from object code to source code to the extent permitted by law (Sections 69a et seq. Urheberrechtsgesetz - German Copyright Act). The customer undertakes to refrain from removing manufacturer information, in particular copyright notices, or from changing these without our prior express consent or the prior express consent of the software supplier.
- 8.3. All other rights to the software and the documentation including copies thereof shall remain with us and/or the software supplier. The issue of sub-licences is not permitted.

## 9. Installation

- 9.1. Installation costs may be invoiced on a monthly basis. Fixed installation prices shall only cover the work that has been agreed upon. In other cases our current price list for installation and service costs shall apply.
- 9.2. The customer shall be responsible for providing the following at his own expense: lighting, motive power, if necessary, compressed air; water; electrical power for welding and heating, including the necessary connections; electrical installations to connect the products supplied by us; the devices required (such as lifting equipment); a lockable room that can be used for storing materials; tools and clothing during the installation.


## 10. Spare Parts, Maintenance/Repair and Calibration

- 10.1. For spare parts and maintenance, repair and calibration services, the current repair and exchange price list shall apply.
- 10.2. Insofar as there is an obligation on our part to maintain/supply spare parts, then this obligation shall be limited to a period of five (5) years from the date of delivery. If spare parts are not manufactured by us, or are no longer available on the market, for example electronic components, or if the raw material for their production is no longer available, our obligation to deliver spare parts shall lapse.
- 10.3. For calibration and maintenance, expendable items from BRAND production are normally used.
- 10.4. Maintenance and calibration services can only be provided if the customer has declared the devices sent to be safe to work on from a health hazard perspective.
- 10.5. For repair/service values of up to € 50, we reserve the right not to provide a separate cost estimate.

## 11. Legal Reservation, Industrial Property Rights, Confidentiality

- 11.1. We reserve ownership and all industrial property rights and copyrights to all moulds, tools or other devices, samples, pictures, and business and technical documents produced or provided by us. This also applies where the customer has wholly or in part taken on the costs hereof. The customer may use these only in the manner agreed with us. Without our written consent, he may not himself manufacture contractual objects delivered or have the same manufactured by third parties.
- 11.2. Insofar as we deliver goods according to the designs or other requirements specified by the customer (models, patterns etc.), the customer shall be liable to us by default for ensuring that, through the manufacture and delivery of these goods, the industrial property rights or other rights of third parties are not infringed. If the customer is at fault he shall reimburse us all damage resulting from any such infringement of rights.
- 11.3. Any information acquired from this business relationship and not deemed to be public knowledge must not be disclosed by the customer to third parties.





BRAND GMBH + CO KG · P.O. Box 11 55 · 97861 Wertheim · Germany  
Tel.: +49 9342 808-0 · Fax: +49 9342 808-98000  
info@brand.de · www.brand.de

